

## Erskine Park Transfer Station EPL20986

### Link to Environmental Protection Licence:

<http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=123957&SYSUID=1&LICID=20986>

### April 2018 Dust Deposition Results

Date for testing: 30 April 2018

Date results received: 03 May 2018

Date posted: 18 July 2018

### Monthly Test Round

### April 2018 Dust Deposition Results

Table 1: Dust Deposition Assessment Criteria and Results

Gauge ID (units)	Assessment Criteria								Comments
	Exposure Period (Days)	Funnel Diameter (mm)	Total Solids (g m <sup>-2</sup> month <sup>-1</sup> )	Insoluble Solids (g m <sup>-2</sup> month <sup>-1</sup> )	Soluble Matter (g m <sup>-2</sup> month <sup>-1</sup> )	Ash content (g m <sup>-2</sup> month <sup>-1</sup> )	Combustible Matter (g m <sup>-2</sup> month <sup>-1</sup> )	Assessment Criteria Limit (g m <sup>-2</sup> month <sup>-1</sup> )	
D10	29	150	7.2	4.7	2.5	4.3	0.4	5.0	10mm rainfall
D11	29	150	5.0	5.0	<0.1	4.4	0.6	5.0	10mm rainwater and some bird droppings on funnel
D12	29	150	6.8	6.7	0.1	5.4	1.3	5.0	20mm rainfall

All test results acquired from Arcadis April 2018 Report

Figure 1: Dust Deposition Gauge Locations

