



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
Special Frequency 4 means monitoring of the leachate detection system of the restricted solid waste cells for monitoring points 37, 39 and 53. Monitoring is undertaken quarterly and where sufficient liquid is available.									
31/03/2021	26 - L7	1	Adsorbable Organic Halogens	Quarterly	3.8	mg/L	NA	NA	
31/03/2021	26 - L7	1	Alkalinity (as calcium Carbonate)	Quarterly	5170	mg/L	NA	NA	
31/03/2021	26 - L7	1	Aluminium	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	26 - L7	1	Arsenic	Quarterly	0.033	mg/L	NA	NA	
31/03/2021	26 - L7	1	Barium	Quarterly	2.33	mg/L	NA	NA	
31/03/2021	26 - L7	1	Benzene	6 Monthly	0.001	mg/L	NA	NA	
31/03/2021	26 - L7	1	Bicarbonate	Quarterly	5170	mg/L	NA	NA	
31/03/2021	26 - L7	1	Biological oxygen Demand	Quarterly	61	mg/L	NA	NA	
31/03/2021	26 - L7	1	Cadmium	Quarterly	0.001	mg/L	NA	NA	
31/03/2021	26 - L7	1	Calcium	Quarterly	31	mg/L	NA	NA	
31/03/2021	26 - L7	1	Chemical Oxygen Demand	Yearly	2810	mg/L	NA	NA	
31/03/2021	26 - L7	1	Chloride	Quarterly	18300	mg/L	NA	NA	
31/03/2021	26 - L7	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	26 - L7	1	Chromium	Quarterly	0.153	mg/L	NA	NA	
31/03/2021	26 - L7	1	Conductivity	Quarterly	63700	µS/cm	NA	NA	
31/03/2021	26 - L7	1	Copper	Quarterly	0.01	mg/L	NA	NA	
31/03/2021	26 - L7	1	Dissolved Oxygen	Quarterly	3.4	mg/L	NA	NA	
31/03/2021	26 - L7	1	Fluoride	Quarterly	1.4	mg/L	NA	NA	
31/03/2021	26 - L7	1	Lead	Quarterly	<0.01	mg/L	NA	NA	
31/03/2021	26 - L7	1	Magnesium	Quarterly	324	mg/L	NA	NA	
31/03/2021	26 - L7	1	Manganese	Quarterly	0.06	mg/L	NA	NA	
31/03/2021	26 - L7	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
31/03/2021	26 - L7	1	Nickel	6 Monthly	0.111	mg/L	NA	NA	
31/03/2021	26 - L7	1	Nitrate	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	26 - L7	1	Nitrite	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	26 - L7	1	Nitrogen (ammonia)	Quarterly	814	mg/L	NA	NA	
31/03/2021	26 - L7	1	Nitrogen (Total)	Quarterly	1290	mg/L	NA	NA	
31/03/2021	26 - L7	1	pH	Quarterly	8.04	pH Unit	NA	NA	
31/03/2021	26 - L7	1	Phosphorus (total)	Quarterly	5.01	mg/L	NA	NA	
31/03/2021	26 - L7	1	Polycyclic aromatic hydrocarbons	6 Monthly	0.0025	mg/L	NA	NA	
31/03/2021	26 - L7	1	Potassium	Quarterly	3020	mg/L	NA	NA	
31/03/2021	26 - L7	1	Redox Potential	Quarterly	54.1	mV	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	26 - L7	1	Selenium	Yearly	<0.1	mg/L	NA	NA	
31/03/2021	26 - L7	1	Silica	Yearly	62.9	mg/L	NA	NA	
31/03/2021	26 - L7	1	Silver	Yearly	<0.01	mg/L	NA	NA	
31/03/2021	26 - L7	1	Sodium	Quarterly	11800	mg/L	NA	NA	
31/03/2021	26 - L7	1	Sulfate	Quarterly	293	mg/L	NA	NA	
31/03/2021	26 - L7	1	Tin	6 Monthly	<0.01	mg/L	NA	NA	
31/03/2021	26 - L7	1	Total Dissolved Solids	Quarterly	39300	mg/L	NA	NA	
31/03/2021	26 - L7	1	Total Organic Carbon	Quarterly	612	mg/L	NA	NA	
31/03/2021	26 - L7	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
31/03/2021	26 - L7	1	Zinc	Quarterly	0.063	mg/L	NA	NA	
31/03/2021	27 - L10	1	Adsorbable Organic Halogens	Quarterly	4.3	mg/L	NA	NA	
31/03/2021	27 - L10	1	Alkalinity (as calcium Carbonate)	Quarterly	727	mg/L	NA	NA	
31/03/2021	27 - L10	1	Aluminium	Quarterly	0.02	mg/L	NA	NA	
31/03/2021	27 - L10	1	Arsenic	Quarterly	0.21	mg/L	NA	NA	
31/03/2021	27 - L10	1	Barium	Quarterly	0.151	mg/L	NA	NA	
31/03/2021	27 - L10	1	Benzene	6 Monthly	0.002	mg/L	NA	NA	
31/03/2021	27 - L10	1	Bicarbonate	Quarterly	<1	mg/L	NA	NA	
31/03/2021	27 - L10	1	Biological oxygen Demand	Quarterly	26	mg/L	NA	NA	
31/03/2021	27 - L10	1	Cadmium	Quarterly	0.0005	mg/L	NA	NA	
31/03/2021	27 - L10	1	Calcium	Quarterly	26	mg/L	NA	NA	
31/03/2021	27 - L10	1	Chemical Oxygen Demand	Yearly	597	mg/L	NA	NA	
31/03/2021	27 - L10	1	Chloride	Quarterly	3690	mg/L	NA	NA	
31/03/2021	27 - L10	1	Chlorinated Hydrocarbons	6 Monthly	0.05	mg/L	NA	NA	
31/03/2021	27 - L10	1	Chromium	Quarterly	0.028	mg/L	NA	NA	
31/03/2021	27 - L10	1	Conductivity	Quarterly	17200	µS/cm	NA	NA	
31/03/2021	27 - L10	1	Copper	Quarterly	0.007	mg/L	NA	NA	
31/03/2021	27 - L10	1	Dissolved Oxygen	Quarterly	3.2	mg/L	NA	NA	
31/03/2021	27 - L10	1	Fluoride	Quarterly	1	mg/L	NA	NA	
31/03/2021	27 - L10	1	Lead	Quarterly	0.001	mg/L	NA	NA	
31/03/2021	27 - L10	1	Magnesium	Quarterly	67	mg/L	NA	NA	
31/03/2021	27 - L10	1	Manganese	Quarterly	0.741	mg/L	NA	NA	
31/03/2021	27 - L10	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
31/03/2021	27 - L10	1	Nickel	6 Monthly	0.414	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	27 - L10	1	Nitrate	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	27 - L10	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
31/03/2021	27 - L10	1	Nitrogen (ammonia)	Quarterly	286	mg/L	NA	NA	
31/03/2021	27 - L10	1	Nitrogen (Total)	Quarterly	278	mg/L	NA	NA	
31/03/2021	27 - L10	1	Organotin MBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	27 - L10	1	Organotin DBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	27 - L10	1	Organotin TBT	Quarterly	<3	ngSn/L	NA	NA	
31/03/2021	27 - L10	1	pH	Quarterly	9.09	pH Unit	NA	NA	
31/03/2021	27 - L10	1	Phosphorus (total)	Quarterly	1.1	mg/L	NA	NA	
31/03/2021	27 - L10	1	Polycyclic aromatic hydrocarbons	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	27 - L10	1	Potassium	Quarterly	1080	mg/L	NA	NA	
31/03/2021	27 - L10	1	Redox Potential	Quarterly	-44.5	mV	NA	NA	
31/03/2021	27 - L10	1	Selenium	Yearly	0.02	mg/L	NA	NA	
31/03/2021	27 - L10	1	Silica	Yearly	41.1	mg/L	NA	NA	
31/03/2021	27 - L10	1	Silver	Yearly	<0.001	mg/L	NA	NA	
31/03/2021	27 - L10	1	Sodium	Quarterly	2350	mg/L	NA	NA	
31/03/2021	27 - L10	1	Sulfate	Quarterly	1740	mg/L	NA	NA	
31/03/2021	27 - L10	1	Tin	6 Monthly	0.052	mg/L	NA	NA	
31/03/2021	27 - L10	1	Total Dissolved Solids	Quarterly	10100	mg/L	NA	NA	
31/03/2021	27 - L10	1	Total Organic Carbon	Quarterly	176	mg/L	NA	NA	
31/03/2021	27 - L10	1	Total Phenolics	Quarterly	0.17	mg/L	NA	NA	
31/03/2021	27 - L10	1	Zinc	Quarterly	0.037	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Adsorbable Organic Halogens	Quarterly	0.88	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Alkalinity (as calcium Carbonate)	Quarterly	705	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Aluminium	Quarterly	0.06	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Arsenic	Quarterly	0.359	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Barium	Quarterly	0.108	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Benzene	6 Monthly	0.001	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Bicarbonate	Quarterly	705	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Biological oxygen Demand	Quarterly	3	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Cadmium	Quarterly	0.0012	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Calcium	Quarterly	195	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Chemical Oxygen Demand	Yearly	143	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	28 - A2L1	1	Chloride	Quarterly	2270	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Chromium	Quarterly	0.023	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Conductivity	Quarterly	10600	µS/cm	NA	NA	
31/03/2021	28 - A2L1	1	Copper	Quarterly	0.009	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Dissolved Oxygen	Quarterly	6.7	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Fluoride	Quarterly	1	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Lead	Quarterly	0.002	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Magnesium	Quarterly	250	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Manganese	Quarterly	1.56	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Nickel	6 Monthly	0.362	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Nitrate	Quarterly	0.07	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Nitrogen (ammonia)	Quarterly	20.5	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Nitrogen (Total)	Quarterly	23.5	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Organotin MBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	28 - A2L1	1	Organotin DBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	28 - A2L1	1	Organotin TBT	Quarterly	<2	ngSn/L	NA	NA	
31/03/2021	28 - A2L1	1	pH	Quarterly	7.36	pH Unit	NA	NA	
31/03/2021	28 - A2L1	1	Phosphorus (total)	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Polycyclic aromatic hydrocarbons	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Potassium	Quarterly	364	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Redox Potential	Quarterly	122	mV	NA	NA	
31/03/2021	28 - A2L1	1	Selenium	Yearly	0.02	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Silica	Yearly	30.1	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Silver	Yearly	<0.001	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Sodium	Quarterly	1460	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Sulfate	Quarterly	1170	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Tin	6 Monthly	0.142	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Total Dissolved Solids	Quarterly	6710	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Total Organic Carbon	Quarterly	90	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
31/03/2021	28 - A2L1	1	Zinc	Quarterly	0.042	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	29 - A2L2	1	Adsorbable Organic Halogens	Quarterly	2.4	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Alkalinity (as calcium Carbonate)	Quarterly	1570	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Aluminium	Quarterly	<0.01	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Arsenic	Quarterly	0.343	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Barium	Quarterly	0.107	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Benzene	6 Monthly	<0.005	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Bicarbonate	Quarterly	1440	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Biological oxygen Demand	Quarterly	1570	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Cadmium	Quarterly	0.0016	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Calcium	Quarterly	287	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Chemical Oxygen Demand	Yearly	587	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Chloride	Quarterly	3400	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Chromium	Quarterly	0.028	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Conductivity	Quarterly	17200	µS/cm	NA	NA	
31/03/2021	29 - A2L2	1	Copper	Quarterly	0.004	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Dissolved Oxygen	Quarterly	5.1	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Fluoride	Quarterly	1.5	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Lead	Quarterly	0.001	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Magnesium	Quarterly	446	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Manganese	Quarterly	1.71	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Nickel	6 Monthly	0.378	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Nitrate	Quarterly	0.04	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Nitrite	Quarterly	0.02	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Nitrogen (ammonia)	Quarterly	143	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Nitrogen (Total)	Quarterly	160	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	pH	Quarterly	7.54	pH Unit	NA	NA	
31/03/2021	29 - A2L2	1	Phosphorus (total)	Quarterly	1.26	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Polycyclic aromatic hydrocarbons	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Potassium	Quarterly	990	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Redox Potential	Quarterly	110	mV	NA	NA	
31/03/2021	29 - A2L2	1	Selenium	Yearly	0.02	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	29 - A2L2	1	Silica	Yearly	45.1	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Silver	Yearly	<0.001	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Sodium	Quarterly	2090	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Sulfate	Quarterly	2190	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Tin	6 Monthly	0.087	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Total Dissolved Solids	Quarterly	11100	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Total Organic Carbon	Quarterly	150	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
31/03/2021	29 - A2L2	1	Zinc	Quarterly	0.033	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Adsorbable Organic Halogens	Quarterly	1.7	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Alkalinity (as calcium Carbonate)	Quarterly	1170	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Aluminium	Quarterly	<0.01	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Arsenic	Quarterly	0.012	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Barium	Quarterly	0.255	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Benzene	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Bicarbonate	Quarterly	1170	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Biological oxygen Demand	Quarterly	3	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Cadmium	Quarterly	0.0001	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Calcium	Quarterly	140	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Chemical Oxygen Demand	Yearly	213	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Chloride	Quarterly	3180	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Chromium	Quarterly	0.005	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Conductivity	Quarterly	11400	µS/cm	NA	NA	
31/03/2021	36 - A5L1	1	Copper	Quarterly	0.006	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Dissolved Oxygen	Quarterly	4.7	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Fluoride	Quarterly	3.7	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Lead	Quarterly	0.004	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Magnesium	Quarterly	101	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Manganese	Quarterly	1.18	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Nickel	6 Monthly	0.171	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Nitrate	Quarterly	<0.1	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	36 - A5L1	1	Nitrite	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Nitrogen (ammonia)	Quarterly	54.2	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Nitrogen (Total)	Quarterly	64.4	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Organotin MBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	36 - A5L1	1	Organotin DBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	36 - A5L1	1	Organotin TBT	Quarterly	<4	ngSn/L	NA	NA	
31/03/2021	36 - A5L1	1	pH	Quarterly	7.51	pH Unit	NA	NA	
31/03/2021	36 - A5L1	1	Phosphorus (total)	Quarterly	1.13	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Polycyclic aromatic hydrocarbons	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Potassium	Quarterly	353	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Redox Potential	Quarterly	11.7	mV	NA	NA	
31/03/2021	36 - A5L1	1	Selenium	Yearly	<0.01	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Silica	Yearly	30.3	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Silver	Yearly	<0.001	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Sodium	Quarterly	1760	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Sulfate	Quarterly	393	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Tin	6 Monthly	0.002	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Total Dissolved Solids	Quarterly	6670	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Total Organic Carbon	Quarterly	70	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
31/03/2021	36 - A5L1	1	Zinc	Quarterly	0.042	mg/L	NA	NA	
31/03/2021	37 - A5L2		Adsorbable Organic Halogens	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Alkalinity (as calcium Carbonate)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Aluminium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Arsenic	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Barium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Benzene	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Bicarbonate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Biological oxygen Demand	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Cadmium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Calcium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Chemical Oxygen Demand	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Chloride	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	37 - A5L2		Chlorinated Hydrocarbons	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Chromium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Conductivity	Special Frequency 4		µS/cm	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Copper	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Dissolved Oxygen	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Fluoride	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Lead	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Magnesium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Manganese	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Mercury	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Nickel	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Nitrate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Nitrite	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Nitrogen (ammonia)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Nitrogen (Total)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Organotin MBT	Quarterly		ngSn/L	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Organotin DBT	Quarterly		ngSn/L	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Organotin TBT	Quarterly		ngSn/L	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		pH	Special Frequency 4		pH Unit	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Phosphorus (total)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Polycyclic aromatic hydrocarbons	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Potassium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Redox Potential	Special Frequency 4		mV	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Selenium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Silica	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Silver	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Sodium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Sulfate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Tin	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Total Dissolved Solids	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Total Organic Carbon	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Total Phenolics	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	37 - A5L2		Zinc	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	38 - A4L1	1	Adsorbable Organic Halogens	Quarterly	1.5	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Alkalinity (as calcium Carbonate)	Quarterly	1080	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Aluminium	Quarterly	0.02	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Arsenic	Quarterly	0.196	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Barium	Quarterly	0.136	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Benzene	6 Monthly	0.001	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Bicarbonate	Quarterly	<1	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Biological oxygen Demand	Quarterly	21	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Cadmium	Quarterly	0.0002	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Calcium	Quarterly	236	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Chemical Oxygen Demand	Yearly	613	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Chloride	Quarterly	3800	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Chromium	Quarterly	0.007	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Conductivity	Quarterly	17100	µS/cm	NA	NA	
31/03/2021	38 - A4L1	1	Copper	Quarterly	0.003	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Dissolved Oxygen	Quarterly	6	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Fluoride	Quarterly	1.2	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Lead	Quarterly	<0.001	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Magnesium	Quarterly	3	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Manganese	Quarterly	0.033	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Nickel	6 Monthly	0.28	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Nitrate	Quarterly	0.08	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Nitrite	Quarterly	0.08	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Nitrogen (ammonia)	Quarterly	573	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	38 - A4L1	1	Nitrogen (Total)	Quarterly	566	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Organotin MBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	38 - A4L1	1	Organotin DBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	38 - A4L1	1	Organotin TBT	Quarterly	<2	ngSn/L	NA	NA	
31/03/2021	38 - A4L1	1	pH	Quarterly	9.51	pH Unit	NA	NA	
31/03/2021	38 - A4L1	1	Phosphorus (total)	Quarterly	0.54	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Polycyclic aromatic hydrocarbons	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Potassium	Quarterly	971	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Redox Potential	Quarterly	-28.2	mV	NA	NA	
31/03/2021	38 - A4L1	1	Selenium	Yearly	0.02	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Silica	Yearly	40.3	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Silver	Yearly	<0.001	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Sodium	Quarterly	2390	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Sulfate	Quarterly	1750	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Tin	6 Monthly	0.002	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Total Dissolved Solids	Quarterly	10400	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Total Organic Carbon	Quarterly	148	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Total Phenolics	Quarterly	0.5	mg/L	NA	NA	
31/03/2021	38 - A4L1	1	Zinc	Quarterly	0.01	mg/L	NA	NA	
31/03/2021	39 - A4L2		Adsorbable Organic Halogens	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Alkalinity (as calcium Carbonate)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Aluminium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Arsenic	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Barium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Benzene	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Bicarbonate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Biological oxygen Demand	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Cadmium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Calcium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Chemical Oxygen Demand	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Chloride	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Chlorinated Hydrocarbons	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Chromium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	39 - A4L2		Conductivity	Special Frequency 4		µS/cm	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Copper	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Dissolved Oxygen	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Fluoride	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Lead	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Magnesium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Manganese	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Mercury	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Nickel	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Nitrate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Nitrite	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Nitrogen (ammonia)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Organotin MBT	Quarterly		ngSn/L	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Organotin DBT	Quarterly		ngSn/L	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Organotin TBT	Quarterly		ngSn/L	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Nitrogen (Total)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		pH	Special Frequency 4		pH Unit	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Phosphorus (total)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Polycyclic aromatic hydrocarbons	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Potassium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Redox Potential	Special Frequency 4		mV	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Selenium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Silica	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Silver	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Sodium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Sulfate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Tin	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Total Dissolved Solids	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Total Organic Carbon	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Total Phenolics	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	39 - A4L2		Zinc	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	40 - L11	1	Adsorbable Organic Halogens	Quarterly	1500	mg/L	NA	NA	
31/03/2021	40 - L11	1	Alkalinity (as calcium Carbonate)	Quarterly	2970	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	40 - L11	1	Aluminium	Quarterly	0.21	mg/L	NA	NA	
31/03/2021	40 - L11	1	Arsenic	Quarterly	0.166	mg/L	NA	NA	
31/03/2021	40 - L11	1	Barium	Quarterly	0.575	mg/L	NA	NA	
31/03/2021	40 - L11	1	Benzene	6 Monthly	0.009	mg/L	NA	NA	
31/03/2021	40 - L11	1	Bicarbonate	Quarterly	2970	mg/L	NA	NA	
31/03/2021	40 - L11	1	Biological oxygen Demand	Quarterly	32	mg/L	NA	NA	
31/03/2021	40 - L11	1	Cadmium	Quarterly	<0.004	mg/L	NA	NA	
31/03/2021	40 - L11	1	Calcium	Quarterly	106	mg/L	NA	NA	
31/03/2021	40 - L11	1	Chemical Oxygen Demand	Yearly	853	mg/L	NA	NA	
31/03/2021	40 - L11	1	Chloride	Quarterly	4520	mg/L	NA	NA	
31/03/2021	40 - L11	1	Chlorinated Hydrocarbons	6 Monthly	0.05	mg/L	NA	NA	
31/03/2021	40 - L11	1	Chromium	Quarterly	0.117	mg/L	NA	NA	
31/03/2021	40 - L11	1	Conductivity	Quarterly	14800	µS/cm	NA	NA	
31/03/2021	40 - L11	1	Copper	Quarterly	0.004	mg/L	NA	NA	
31/03/2021	40 - L11	1	Dissolved Oxygen	Quarterly	0.9	mg/L	NA	NA	
31/03/2021	40 - L11	1	Fluoride	Quarterly	0.7	mg/L	NA	NA	
31/03/2021	40 - L11	1	Lead	Quarterly	0.002	mg/L	NA	NA	
31/03/2021	40 - L11	1	Magnesium	Quarterly	267	mg/L	NA	NA	
31/03/2021	40 - L11	1	Manganese	Quarterly	0.382	mg/L	NA	NA	
31/03/2021	40 - L11	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
31/03/2021	40 - L11	1	Nickel	6 Monthly	0.096	mg/L	NA	NA	
31/03/2021	40 - L11	1	Nitrate	Quarterly	0.12	mg/L	NA	NA	
31/03/2021	40 - L11	1	Nitrite	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	40 - L11	1	Nitrogen (ammonia)	Quarterly	283	mg/L	NA	NA	
31/03/2021	40 - L11	1	Nitrogen (Total)	Quarterly	304	mg/L	NA	NA	
31/03/2021	40 - L11	1	pH	Quarterly	7.74	pH Unit	NA	NA	
31/03/2021	40 - L11	1	Phosphorus (total)	Quarterly	3.65	mg/L	NA	NA	
31/03/2021	40 - L11	1	Polycyclic aromatic hydrocarbons	6 Monthly	0.0032	mg/L	NA	NA	
31/03/2021	40 - L11	1	Potassium	Quarterly	156	mg/L	NA	NA	
31/03/2021	40 - L11	1	Redox Potential	Quarterly	-132	mV	NA	NA	
31/03/2021	40 - L11	1	Selenium	Yearly	<0.01	mg/L	NA	NA	
31/03/2021	40 - L11	1	Silica	Yearly	52.5	mg/L	NA	NA	
31/03/2021	40 - L11	1	Silver	Yearly	<0.001	mg/L	NA	NA	
31/03/2021	40 - L11	1	Sodium	Quarterly	2580	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	40 - L11	1	Sulfate	Quarterly	1580	mg/L	NA	NA	
31/03/2021	40 - L11	1	Tin	6 Monthly	0.014	mg/L	NA	NA	
31/03/2021	40 - L11	1	Total Dissolved Solids	Quarterly	8500	mg/L	NA	NA	
31/03/2021	40 - L11	1	Total Organic Carbon	Quarterly	120	mg/L	NA	NA	
31/03/2021	40 - L11	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
31/03/2021	40 - L11	1	Zinc	Quarterly	0.032	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Adsorbable Organic Halogens	Quarterly	7.9	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Alkalinity (as calcium Carbonate)	Quarterly	10100	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Aluminium	Quarterly	0.09	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Arsenic	Quarterly	0.232	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Barium	Quarterly	0.065	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Benzene	6 Monthly	<0.005	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Bicarbonate	Quarterly	1420	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Biological oxygen Demand	Quarterly	219	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Cadmium	Quarterly	0.001	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Calcium	Quarterly	11	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Chemical Oxygen Demand	Yearly	2870	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Chloride	Quarterly	5910	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Chromium	Quarterly	0.064	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Conductivity	Quarterly	38800	µS/cm	NA	NA	
31/03/2021	41 - A3L1	1	Copper	Quarterly	0.077	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Dissolved Oxygen	Quarterly	1.5	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Fluoride	Quarterly	9.2	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Lead	Quarterly	0.011	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Magnesium	Quarterly	134	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Manganese	Quarterly	0.157	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Mercury	Quarterly	<0.00005	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Nickel	6 Monthly	0.768	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Nitrate	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Nitrite	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Nitrogen (ammonia)	Quarterly	4980	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Nitrogen (Total)	Quarterly	4100	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	41 - A3L1	1	Organotin MBT	Quarterly	<18	ngSn/L	NA	NA	
31/03/2021	41 - A3L1	1	Organotin DBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	41 - A3L1	1	Organotin TBT	Quarterly	<2	ngSn/L	NA	NA	
31/03/2021	41 - A3L1	1	pH	Quarterly	9.34	pH Unit	NA	NA	
31/03/2021	41 - A3L1	1	Phosphorus (total)	Quarterly	3.9	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Polycyclic aromatic hydrocarbons	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Potassium	Quarterly	3590	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Redox Potential	Quarterly	-292	mV	NA	NA	
31/03/2021	41 - A3L1	1	Selenium	Yearly	0.12	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Silica	Yearly	85.1	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Silver	Yearly	0.001	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Sodium	Quarterly	3230	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Sulfate	Quarterly	6260	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Tin	6 Monthly	0.022	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Total Dissolved Solids	Quarterly	17600	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Total Organic Carbon	Quarterly	621	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Total Phenolics	Quarterly	3.19	mg/L	NA	NA	
31/03/2021	41 - A3L1	1	Zinc	Quarterly	0.198	mg/L	NA	NA	
31/03/2021	43 - L9		Adsorbable Organic Halogens	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Alkalinity (as calcium Carbonate)	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Aluminium	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Arsenic	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Barium	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Benzene	6 Monthly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Bicarbonate	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Biological oxygen Demand	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Cadmium	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Calcium	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Chemical Oxygen Demand	Yearly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Chloride	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Chlorinated Hydrocarbons	6 Monthly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Chromium	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Conductivity	Quarterly		µS/cm	NA	NA	Monitoring point not operational at the time of sampling



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	43 - L9		Copper	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Dissolved Oxygen	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Fluoride	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Lead	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Magnesium	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Manganese	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Mercury	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Nickel	6 Monthly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Nitrate	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Nitrite	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Nitrogen (ammonia)	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Nitrogen (Total)	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		pH	Quarterly		pH Unit	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Phosphorus (total)	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Polycyclic aromatic hydrocarbons	6 Monthly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Potassium	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Redox Potential	Quarterly		mV	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Selenium	Yearly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Silica	Yearly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Silver	Yearly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Sodium	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Sulfate	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Tin	6 Monthly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Total Dissolved Solids	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Total Organic Carbon	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Total Phenolics	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	43 - L9		Zinc	Quarterly		mg/L	NA	NA	Monitoring point not operational at the time of sampling
31/03/2021	44 - L12	1	Adsorbable Organic Halogens	Quarterly	2.7	mg/L	NA	NA	
31/03/2021	44 - L12	1	Alkalinity (as calcium Carbonate)	Quarterly	14900	mg/L	NA	NA	
31/03/2021	44 - L12	1	Aluminium	Quarterly	2.04	mg/L	NA	NA	
31/03/2021	44 - L12	1	Arsenic	Quarterly	0.575	mg/L	NA	NA	
31/03/2021	44 - L12	1	Barium	Quarterly	1.52	mg/L	NA	NA	
31/03/2021	44 - L12	1	Benzene	6 Monthly	0.007	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	44 - L12	1	Bicarbonate	Quarterly	14900	mg/L	NA	NA	
31/03/2021	44 - L12	1	Biological oxygen Demand	Quarterly	105	mg/L	NA	NA	
31/03/2021	44 - L12	1	Cadmium	Quarterly	<0.001	mg/L	NA	NA	
31/03/2021	44 - L12	1	Calcium	Quarterly	57	mg/L	NA	NA	
31/03/2021	44 - L12	1	Chemical Oxygen Demand	Yearly	4520	mg/L	NA	NA	
31/03/2021	44 - L12	1	Chloride	Quarterly	3930	mg/L	NA	NA	
31/03/2021	44 - L12	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	44 - L12	1	Chromium	Quarterly	1.41	mg/L	NA	NA	
31/03/2021	44 - L12	1	Conductivity	Quarterly	36300	µS/cm	NA	NA	
31/03/2021	44 - L12	1	Copper	Quarterly	<0.01	mg/L	NA	NA	
31/03/2021	44 - L12	1	Dissolved Oxygen	Quarterly	1.4	mg/L	NA	NA	
31/03/2021	44 - L12	1	Fluoride	Quarterly	5.1	mg/L	NA	NA	
31/03/2021	44 - L12	1	Lead	Quarterly	<0.01	mg/L	NA	NA	
31/03/2021	44 - L12	1	Magnesium	Quarterly	309	mg/L	NA	NA	
31/03/2021	44 - L12	1	Manganese	Quarterly	0.386	mg/L	NA	NA	
31/03/2021	44 - L12	1	Mercury	Quarterly	<0.001	mg/L	NA	NA	
31/03/2021	44 - L12	1	Nickel	6 Monthly	0.332	mg/L	NA	NA	
31/03/2021	44 - L12	1	Nitrate	Quarterly	<1	mg/L	NA	NA	
31/03/2021	44 - L12	1	Nitrite	Quarterly	<1	mg/L	NA	NA	
31/03/2021	44 - L12	1	Nitrogen (ammonia)	Quarterly	997	mg/L	NA	NA	
31/03/2021	44 - L12	1	Nitrogen (Total)	Quarterly	1160	mg/L	NA	NA	
31/03/2021	44 - L12	1	pH	Quarterly	8.17	pH Unit	NA	NA	
31/03/2021	44 - L12	1	Phosphorus (total)	Quarterly	32.6	mg/L	NA	NA	
31/03/2021	44 - L12	1	Polycyclic aromatic hydrocarbons	6 Monthly	0.0028	mg/L	NA	NA	
31/03/2021	44 - L12	1	Potassium	Quarterly	456	mg/L	NA	NA	
31/03/2021	44 - L12	1	Redox Potential	Quarterly	-94.7	mV	NA	NA	
31/03/2021	44 - L12	1	Selenium	Yearly	<0.1	mg/L	NA	NA	
31/03/2021	44 - L12	1	Silica	Yearly	8.8	mg/L	NA	NA	
31/03/2021	44 - L12	1	Silver	Yearly	<0.01	mg/L	NA	NA	
31/03/2021	44 - L12	1	Sodium	Quarterly	9730	mg/L	NA	NA	
31/03/2021	44 - L12	1	Sulfate	Quarterly	3790	mg/L	NA	NA	
31/03/2021	44 - L12	1	Tin	6 Monthly	0.256	mg/L	NA	NA	
31/03/2021	44 - L12	1	Total Dissolved Solids	Quarterly	28500	mg/L	NA	NA	
31/03/2021	44 - L12	1	Total Organic Carbon	Quarterly	1340	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	44 - L12	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
31/03/2021	44 - L12	1	Zinc	Quarterly	0.13	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Adsorbable Organic Halogens	Quarterly	2.5	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Alkalinity (as calcium Carbonate)	Quarterly	1170	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Aluminium	Quarterly	0.1	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Arsenic	Quarterly	0.045	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Barium	Quarterly	0.244	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Benzene	6 Monthly	<0.005	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Bicarbonate	Quarterly	1170	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Biological oxygen Demand	Quarterly	27	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Cadmium	Quarterly	0.0002	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Calcium	Quarterly	134	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Chemical Oxygen Demand	Yearly	280	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Chloride	Quarterly	3560	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Chromium	Quarterly	0.018	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Conductivity	Quarterly	13800	µS/cm	NA	NA	
31/03/2021	52 - A5BL1	1	Copper	Quarterly	0.008	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Dissolved Oxygen	Quarterly	3.4	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Fluoride	Quarterly	3.2	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Lead	Quarterly	0.005	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Magnesium	Quarterly	126	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Manganese	Quarterly	1.07	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Nickel	6 Monthly	0.232	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Nitrate	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Nitrite	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Nitrogen (ammonia)	Quarterly	152	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Nitrogen (Total)	Quarterly	178	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Organotin MBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	52 - A5BL1	1	Organotin DBT	Quarterly	<5	ngSn/L	NA	NA	
31/03/2021	52 - A5BL1	1	Organotin TBT	Quarterly	<4	ngSn/L	NA	NA	
31/03/2021	52 - A5BL1	1	pH	Quarterly	8.08	pH Unit	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	52 - A5BL1	1	Phosphorus (total)	Quarterly	1.44	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Polycyclic aromatic hydrocarbons	6 Monthly	0.0085	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Potassium	Quarterly	607	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Redox Potential	Quarterly	-40.9	mV	NA	NA	
31/03/2021	52 - A5BL1	1	Selenium	Yearly	0.01	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Silica	Yearly	35.2	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Silver	Yearly	<0.001	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Sodium	Quarterly	1900	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Sulfate	Quarterly	787	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Tin	6 Monthly	0.006	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Total Dissolved Solids	Quarterly	7680	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Total Organic Carbon	Quarterly	55	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Total Phenolics	Quarterly	0.07	mg/L	NA	NA	
31/03/2021	52 - A5BL1	1	Zinc	Quarterly	0.048	mg/L	NA	NA	
31/03/2021	53 - A5BL2		Adsorbable Organic Halogens	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Alkalinity (as calcium Carbonate)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Aluminium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Arsenic	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Barium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Benzene	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Bicarbonate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Biological oxygen Demand	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Cadmium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Calcium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Chemical Oxygen Demand	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Chloride	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Chlorinated Hydrocarbons	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Chromium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Conductivity	Special Frequency 4		µS/cm	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Copper	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Dissolved Oxygen	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Fluoride	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Lead	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	53 - A5BL2		Magnesium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Manganese	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Mercury	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Nickel	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Nitrate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Nitrite	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Nitrogen (ammonia)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Nitrogen (Total)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		pH	Special Frequency 4		pH Unit	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Phosphorus (total)	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Polycyclic aromatic hydrocarbons	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Potassium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Redox Potential	Special Frequency 4		mV	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Selenium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Silica	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Silver	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Sodium	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Sulfate	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Tin	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Total Dissolved Solids	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Total Organic Carbon	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Total Phenolics	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	53 - A5BL2		Zinc	Special Frequency 4		mg/l	NA	NA	No liquid available for extraction at time of sampling.
31/03/2021	55 - L13	1	Adsorbable Organic Halogens	Quarterly	3.6	mg/L	NA	NA	
31/03/2021	55 - L13	1	Alkalinity (as calcium Carbonate)	Quarterly	6590	mg/L	NA	NA	
31/03/2021	55 - L13	1	Aluminium	Quarterly	1	mg/L	NA	NA	
31/03/2021	55 - L13	1	Arsenic	Quarterly	0.067	mg/L	NA	NA	
31/03/2021	55 - L13	1	Barium	Quarterly	2.69	mg/L	NA	NA	
31/03/2021	55 - L13	1	Benzene	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	55 - L13	1	Bicarbonate	Quarterly	6590	mg/L	NA	NA	
31/03/2021	55 - L13	1	Biological oxygen Demand	Quarterly	77	mg/L	NA	NA	
31/03/2021	55 - L13	1	Cadmium	Quarterly	0.0003	mg/L	NA	NA	
31/03/2021	55 - L13	1	Calcium	Quarterly	126	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	55 - L13	1	Chemical Oxygen Demand	Yearly	2270	mg/L	NA	NA	
31/03/2021	55 - L13	1	Chloride	Quarterly	3480	mg/L	NA	NA	
31/03/2021	55 - L13	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	55 - L13	1	Chromium	Quarterly	0.616	mg/L	NA	NA	
31/03/2021	55 - L13	1	Conductivity	Quarterly	20200	µS/cm	NA	NA	
31/03/2021	55 - L13	1	Copper	Quarterly	0.005	mg/L	NA	NA	
31/03/2021	55 - L13	1	Dissolved Oxygen	Quarterly	3.2	mg/L	NA	NA	
31/03/2021	55 - L13	1	Fluoride	Quarterly	1.4	mg/L	NA	NA	
31/03/2021	55 - L13	1	Lead	Quarterly	0.003	mg/L	NA	NA	
31/03/2021	55 - L13	1	Magnesium	Quarterly	324	mg/L	NA	NA	
31/03/2021	55 - L13	1	Manganese	Quarterly	0.589	mg/L	NA	NA	
31/03/2021	55 - L13	1	Mercury	Quarterly	<0.001	mg/L	NA	NA	
31/03/2021	55 - L13	1	Nickel	6 Monthly	0.255	mg/L	NA	NA	
31/03/2021	55 - L13	1	Nitrate	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	55 - L13	1	Nitrite	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	55 - L13	1	Nitrogen (ammonia)	Quarterly	451	mg/L	NA	NA	
31/03/2021	55 - L13	1	Nitrogen (Total)	Quarterly	572	mg/L	NA	NA	
31/03/2021	55 - L13	1	pH	Quarterly	7.84	pH Unit	NA	NA	
31/03/2021	55 - L13	1	Phosphorus (total)	Quarterly	10.6	mg/L	NA	NA	
31/03/2021	55 - L13	1	Polycyclic aromatic hydrocarbons	6 Monthly	0.0024	mg/L	NA	NA	
31/03/2021	55 - L13	1	Potassium	Quarterly	274	mg/L	NA	NA	
31/03/2021	55 - L13	1	Redox Potential	Quarterly	28.8	mV	NA	NA	
31/03/2021	55 - L13	1	Selenium	Yearly	0.01	mg/L	NA	NA	
31/03/2021	55 - L13	1	Silica	Yearly	11.8	mg/L	NA	NA	
31/03/2021	55 - L13	1	Silver	Yearly	<0.001	mg/L	NA	NA	
31/03/2021	55 - L13	1	Sodium	Quarterly	4220	mg/L	NA	NA	
31/03/2021	55 - L13	1	Sulfate	Quarterly	<50	mg/L	NA	NA	
31/03/2021	55 - L13	1	Tin	6 Monthly	0.126	mg/L	NA	NA	
31/03/2021	55 - L13	1	Total Dissolved Solids	Quarterly	12600	mg/L	NA	NA	
31/03/2021	55 - L13	1	Total Organic Carbon	Quarterly	2700	mg/L	NA	NA	
31/03/2021	55 - L13	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
31/03/2021	55 - L13	1	Zinc	Quarterly	0.088	mg/L	NA	NA	
31/03/2021	62 - F4	1	Adsorbable Organic Halogens	Quarterly	3.7	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	62 - F4	1	Alkalinity (as calcium Carbonate)	Quarterly	3800	mg/L	NA	NA	
31/03/2021	62 - F4	1	Aluminium	Quarterly	0.32	mg/L	NA	NA	
31/03/2021	62 - F4	1	Arsenic	Quarterly	0.123	mg/L	NA	NA	
31/03/2021	62 - F4	1	Barium	Quarterly	0.506	mg/L	NA	NA	
31/03/2021	62 - F4	1	Benzene	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	62 - F4	1	Bicarbonate	Quarterly	3800	mg/L	NA	NA	
31/03/2021	62 - F4	1	Biological oxygen Demand	Quarterly	60	mg/L	NA	NA	
31/03/2021	62 - F4	1	Cadmium	Quarterly	0.0002	mg/L	NA	NA	
31/03/2021	62 - F4	1	Calcium	Quarterly	364	mg/L	NA	NA	
31/03/2021	62 - F4	1	Chemical Oxygen Demand	Yearly	800	mg/L	NA	NA	
31/03/2021	62 - F4	1	Chloride	Quarterly	3410	mg/L	NA	NA	
31/03/2021	62 - F4	1	Chlorinated Hydrocarbons	6 Monthly	<0.05	mg/L	NA	NA	
31/03/2021	62 - F4	1	Chromium	Quarterly	0.107	mg/L	NA	NA	
31/03/2021	62 - F4	1	Conductivity	Quarterly	9370	µS/cm	NA	NA	
31/03/2021	62 - F4	1	Copper	Quarterly	0.006	mg/L	NA	NA	
31/03/2021	62 - F4	1	Dissolved Oxygen	Quarterly	4.2	mg/L	NA	NA	
31/03/2021	62 - F4	1	Fluoride	Quarterly	0.4	mg/L	NA	NA	
31/03/2021	62 - F4	1	Lead	Quarterly	0.004	mg/L	NA	NA	
31/03/2021	62 - F4	1	Magnesium	Quarterly	129	mg/L	NA	NA	
31/03/2021	62 - F4	1	Manganese	Quarterly	0.681	mg/L	NA	NA	
31/03/2021	62 - F4	1	Mercury	Quarterly	<0.001	mg/L	NA	NA	
31/03/2021	62 - F4	1	Nickel	6 Monthly	0.056	mg/L	NA	NA	
31/03/2021	62 - F4	1	Nitrate	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	62 - F4	1	Nitrite	Quarterly	<0.1	mg/L	NA	NA	
31/03/2021	62 - F4	1	Nitrogen (ammonia)	Quarterly	162	mg/L	NA	NA	
31/03/2021	62 - F4	1	Nitrogen (Total)	Quarterly	223	mg/L	NA	NA	
31/03/2021	62 - F4	1	pH	Quarterly	7.6	pH Unit	NA	NA	
31/03/2021	62 - F4	1	Phosphorus (total)	Quarterly	2.41	mg/L	NA	NA	
31/03/2021	62 - F4	1	Polycyclic aromatic hydrocarbons	6 Monthly	<0.001	mg/L	NA	NA	
31/03/2021	62 - F4	1	Potassium	Quarterly	151	mg/L	NA	NA	
31/03/2021	62 - F4	1	Redox Potential	Quarterly	26.4	mV	NA	NA	
31/03/2021	62 - F4	1	Selenium	Yearly	<0.01	mg/L	NA	NA	
31/03/2021	62 - F4	1	Silica	Yearly	47	mg/L	NA	NA	
31/03/2021	62 - F4	1	Silver	Yearly	<0.001	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number:

4068

Licensee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - Jan 2021 - March 2021

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
31/03/2021	62 - F4	1	Sodium	Quarterly	1360	mg/L	NA	NA	
31/03/2021	62 - F4	1	Sulfate	Quarterly	<10	mg/L	NA	NA	
31/03/2021	62 - F4	1	Tin	6 Monthly	0.066	mg/L	NA	NA	
31/03/2021	62 - F4	1	Total Dissolved Solids	Quarterly	5870	mg/L	NA	NA	
31/03/2021	62 - F4	1	Total Organic Carbon	Quarterly	1090	mg/L	NA	NA	
31/03/2021	62 - F4	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
31/03/2021	62 - F4	1	Zinc	Quarterly	0.435	mg/L	NA	NA	