



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
Special Frequency 4 means monitoring of the leachate detection system of the restricted solid waste cells for monitoring points 37, 39 and 53. Monitoring is undertaken quarterly and where sufficient liquid is available.										
-	-	26 - L7	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	No leachate available for sampling - sampling was attempted several times throughout the monitoring period.
-	-	26 - L7	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Aluminium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Arsenic	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Barium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Cadmium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Calcium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Chloride	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Chromium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Conductivity	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Copper	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Fluoride	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Lead	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Magnesium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Manganese	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Mercury	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Nitrate	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Nitrite	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	pH	Quarterly	-	pH Unit	NA	NA	
-	-	26 - L7	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Potassium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Redox Potential	Quarterly	-	mV	NA	NA	
-	-	26 - L7	1	Sodium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Sulfate	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Zinc	Quarterly	-	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
14/04/2023	22/03/2023	27 - L10	1	Adsorbable Organic Halogens	Quarterly	950	mg/L	NA	NA	The adsorbable organic halogens sample taken on 15/03/2023 was broken during transportation, a second sample for was taken on the 22/05/2023.
14/04/2023	15/03/2023	27 - L10	1	Alkalinity (as calcium Carbonate)	Quarterly	335	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Aluminium	Quarterly	0.05	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Arsenic	Quarterly	0.063	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Barium	Quarterly	0.078	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Bicarbonate	Quarterly	<1	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Biological oxygen Demand	Quarterly	25	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Calcium	Quarterly	178	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Chloride	Quarterly	1970	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Chromium	Quarterly	0.001	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Conductivity	Quarterly	7360	µS/cm	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Copper	Quarterly	<0.001	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Dissolved Oxygen	Quarterly	2.5	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Fluoride	Quarterly	1.2	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Lead	Quarterly	<0.001	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Magnesium	Quarterly	<1	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Manganese	Quarterly	0.003	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Nitrite	Quarterly	1.36	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Nitrogen (ammonia)	Quarterly	167	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Nitrogen (Total)	Quarterly	161	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	pH	Quarterly	9.77	pH Unit	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Phosphorus (total)	Quarterly	<0.20	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Potassium	Quarterly	203	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Redox Potential	Quarterly	46.7	mV	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Sodium	Quarterly	926	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Sulfate	Quarterly	265	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Total Dissolved Solids	Quarterly	4570	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Total Organic Carbon	Quarterly	62	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Total Phenolics	Quarterly	0.2	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Zinc	Quarterly	<0.005	mg/L	NA	NA	
14/04/2023	15/03/2023	27 - L10	1	Organotin Compounds	Quarterly	<2	ngSn/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
14/04/2023	15/03/2023	28 - A2L1	1	Adsorbable Organic Halogens	Quarterly	460	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Alkalinity (as calcium Carbonate)	Quarterly	1150	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Aluminium	Quarterly	0.16	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Arsenic	Quarterly	0.036	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Barium	Quarterly	0.138	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Bicarbonate	Quarterly	1150	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Biological oxygen Demand	Quarterly	11	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Cadmium	Quarterly	0.0003	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Calcium	Quarterly	233	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Chloride	Quarterly	3980	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Chromium	Quarterly	0.026	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Conductivity	Quarterly	15800	µS/cm	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Copper	Quarterly	0.003	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Dissolved Oxygen	Quarterly	4.2	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Fluoride	Quarterly	2.3	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Lead	Quarterly	0.001	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Magnesium	Quarterly	166	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Manganese	Quarterly	1.51	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Nitrate	Quarterly	<0.01	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Nitrite	Quarterly	0.02	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Nitrogen (ammonia)	Quarterly	83.1	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Nitrogen (Total)	Quarterly	103	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	pH	Quarterly	7.82	pH Unit	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Phosphorus (total)	Quarterly	<0.50	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Potassium	Quarterly	1040	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Redox Potential	Quarterly	156	mV	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Sodium	Quarterly	1740	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Sulfate	Quarterly	1230	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Total Dissolved Solids	Quarterly	9970	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Total Organic Carbon	Quarterly	70	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Zinc	Quarterly	0.028	mg/L	NA	NA	
14/04/2023	15/03/2023	28 - A2L1	1	Organotin Compounds	Quarterly	<2	ngSn/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
14/04/2023	15/03/2023	29 - A2L2	1	Adsorbable Organic Halogens	Quarterly	3200	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Alkalinity (as calcium Carbonate)	Quarterly	2840	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Aluminium	Quarterly	1.04	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Arsenic	Quarterly	0.856	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Barium	Quarterly	0.118	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Bicarbonate	Quarterly	2840	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Biological oxygen Demand	Quarterly	142	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Cadmium	Quarterly	0.0015	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Calcium	Quarterly	168	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Chloride	Quarterly	4380	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Chromium	Quarterly	0.037	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Conductivity	Quarterly	20300	µS/cm	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Copper	Quarterly	0.01	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Dissolved Oxygen	Quarterly	0.1	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Fluoride	Quarterly	1.8	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Lead	Quarterly	0.006	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Magnesium	Quarterly	470	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Manganese	Quarterly	0.882	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Nitrate	Quarterly	<0.01	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Nitrite	Quarterly	0.06	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Nitrogen (ammonia)	Quarterly	334	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Nitrogen (Total)	Quarterly	343	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	pH	Quarterly	8.23	pH Unit	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Phosphorus (total)	Quarterly	1.92	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Potassium	Quarterly	1300	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Redox Potential	Quarterly	-377	mV	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Sodium	Quarterly	2120	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Sulfate	Quarterly	2460	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Total Dissolved Solids	Quarterly	12300	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Total Organic Carbon	Quarterly	289	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Total Phenolics	Quarterly	0.43	mg/L	NA	NA	
14/04/2023	15/03/2023	29 - A2L2	1	Zinc	Quarterly	0.04	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
-	-	36 - A5L1	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	No leachate available for sampling - sampling was attempted several times throughout the monitoring period.
-	-	36 - A5L1	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Aluminium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Arsenic	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Barium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Cadmium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Calcium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Chloride	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Chromium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Conductivity	Quarterly	-	µS/cm	NA	NA	
-	-	36 - A5L1	1	Copper	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Fluoride	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Lead	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Magnesium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Manganese	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Mercury	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Nitrate	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Nitrite	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	pH	Quarterly	-	pH Unit	NA	NA	
-	-	36 - A5L1	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Potassium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Redox Potential	Quarterly	-	mV	NA	NA	
-	-	36 - A5L1	1	Sodium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Sulfate	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Zinc	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Organotin Compounds	Quarterly	-	ngSn/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
14/04/2023	15/03/2023	38 - A4L1	1	Adsorbable Organic Halogens	Quarterly	2500	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Alkalinity (as calcium Carbonate)	Quarterly	1810	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Aluminium	Quarterly	0.02	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Arsenic	Quarterly	0.06	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Barium	Quarterly	0.321	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Bicarbonate	Quarterly	1810	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Biological oxygen Demand	Quarterly	47	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Calcium	Quarterly	194	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Chloride	Quarterly	4670	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Chromium	Quarterly	0.065	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Conductivity	Quarterly	18900	µS/cm	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Copper	Quarterly	<0.001	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Dissolved Oxygen	Quarterly	2	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Fluoride	Quarterly	4.4	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Lead	Quarterly	<0.001	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Magnesium	Quarterly	112	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Manganese	Quarterly	0.899	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Nitrate	Quarterly	0.05	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Nitrite	Quarterly	0.03	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Nitrogen (ammonia)	Quarterly	173	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Nitrogen (Total)	Quarterly	189	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	pH	Quarterly	8.07	pH Unit	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Phosphorus (total)	Quarterly	2.04	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Potassium	Quarterly	1820	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Redox Potential	Quarterly	-173	mV	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Sodium	Quarterly	2060	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Sulfate	Quarterly	1310	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Total Dissolved Solids	Quarterly	11200	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Total Organic Carbon	Quarterly	168	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Zinc	Quarterly	0.012	mg/L	NA	NA	
14/04/2023	15/03/2023	38 - A4L1	1	Organotin Compounds	Quarterly	<2	ngSn/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
18/04/2023	16/03/2023	40 - L11	1	Adsorbable Organic Halogens	Quarterly	1500	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Alkalinity (as calcium Carbonate)	Quarterly	4910	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Aluminium	Quarterly	0.18	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Arsenic	Quarterly	0.090	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Barium	Quarterly	0.447	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Bicarbonate	Quarterly	4910	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Biological oxygen Demand	Quarterly	154	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Cadmium	Quarterly	0.0004	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Calcium	Quarterly	22	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Chloride	Quarterly	1360	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Chromium	Quarterly	0.106	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Conductivity	Quarterly	12200	µS/cm	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Copper	Quarterly	0.005	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Dissolved Oxygen	Quarterly	0.2	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Fluoride	Quarterly	0.5	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Lead	Quarterly	0.003	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Magnesium	Quarterly	85	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Manganese	Quarterly	0.149	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Mercury	Quarterly	0.0005	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Nitrogen (ammonia)	Quarterly	998	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Nitrogen (Total)	Quarterly	953	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	pH	Quarterly	7.96	pH Unit	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Phosphorus (total)	Quarterly	3.22	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Potassium	Quarterly	94	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Redox Potential	Quarterly	83.8	mV	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Sodium	Quarterly	1240	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Sulfate	Quarterly	<10	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
18/04/2023	16/03/2023	40 - L11	1	Total Dissolved Solids	Quarterly	4240	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Total Organic Carbon	Quarterly	305	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Total Phenolics	Quarterly	1.87	mg/L	NA	NA	
18/04/2023	16/03/2023	40 - L11	1	Zinc	Quarterly	0.017	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Adsorbable Organic Halogens	Quarterly	2700	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Alkalinity (as calcium Carbonate)	Quarterly	27800	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Aluminium	Quarterly	0.58	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Arsenic	Quarterly	0.242	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Barium	Quarterly	0.066	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Bicarbonate	Quarterly	<1	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Biological oxygen Demand	Quarterly	2240	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Cadmium	Quarterly	0.0014	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Calcium	Quarterly	10	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Chloride	Quarterly	10100	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Chromium	Quarterly	0.134	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Conductivity	Quarterly	62000	µS/cm	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Copper	Quarterly	0.088	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Dissolved Oxygen	Quarterly	0.7	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Fluoride	Quarterly	19.6	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Lead	Quarterly	0.046	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Magnesium	Quarterly	50	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Manganese	Quarterly	0.127	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Mercury	Quarterly	0.0004	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Nitrate	Quarterly	<1.00	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Nitrite	Quarterly	15	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Nitrogen (ammonia)	Quarterly	8160	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Nitrogen (Total)	Quarterly	9480	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	pH	Quarterly	9.7	pH Unit	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Phosphorus (total)	Quarterly	9.8	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Potassium	Quarterly	5810	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Redox Potential	Quarterly	-131	mV	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Sodium	Quarterly	5220	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Sulfate	Quarterly	7540	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
14/04/2023	15/03/2023	41 - A3L1	1	Total Dissolved Solids	Quarterly	32300	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Total Organic Carbon	Quarterly	2870	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Total Phenolics	Quarterly	16.5	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Zinc	Quarterly	0.337	mg/L	NA	NA	
14/04/2023	15/03/2023	41 - A3L1	1	Organotin Compounds	Quarterly	<162	ngSn/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Adsorbable Organic Halogens	Quarterly	2200	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Alkalinity (as calcium Carbonate)	Quarterly	20300	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Aluminium	Quarterly	2.92	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Arsenic	Quarterly	0.663	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Barium	Quarterly	1.71	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Bicarbonate	Quarterly	20300	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Biological oxygen Demand	Quarterly	109	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Cadmium	Quarterly	<0.0010	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Calcium	Quarterly	49	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Chloride	Quarterly	5120	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Chromium	Quarterly	1.86	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Conductivity	Quarterly	43300	µS/cm	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Copper	Quarterly	<0.010	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Dissolved Oxygen	Quarterly	0.1	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Fluoride	Quarterly	5.6	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Lead	Quarterly	<0.010	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Magnesium	Quarterly	258	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Manganese	Quarterly	0.573	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Nitrate	Quarterly	<1.00	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Nitrite	Quarterly	<1.00	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Nitrogen (ammonia)	Quarterly	1240	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Nitrogen (Total)	Quarterly	1300	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	pH	Quarterly	8.08	pH Unit	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Phosphorus (total)	Quarterly	34.1	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Potassium	Quarterly	482	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Redox Potential	Quarterly	-168	mV	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Sodium	Quarterly	11200	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Sulfate	Quarterly	2430	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
16/04/2023	15/03/2023	44 - L12	1	Total Dissolved Solids	Quarterly	33100	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Total Organic Carbon	Quarterly	1380	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
16/04/2023	15/03/2023	44 - L12	1	Zinc	Quarterly	0.12	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Adsorbable Organic Halogens	Quarterly	5200	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Alkalinity (as calcium Carbonate)	Quarterly	1750	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Aluminium	Quarterly	0.03	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Arsenic	Quarterly	0.05	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Barium	Quarterly	0.312	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Bicarbonate	Quarterly	1750	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Biological oxygen Demand	Quarterly	27	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Cadmium	Quarterly	0.0002	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Calcium	Quarterly	247	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Chloride	Quarterly	4330	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Chromium	Quarterly	0.097	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Conductivity	Quarterly	17900	µS/cm	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Copper	Quarterly	0.011	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Dissolved Oxygen	Quarterly	1.1	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Fluoride	Quarterly	4	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Lead	Quarterly	0.007	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Magnesium	Quarterly	130	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Manganese	Quarterly	1.09	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Nitrate	Quarterly	<0.01	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Nitrogen (ammonia)	Quarterly	164	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Nitrogen (Total)	Quarterly	156	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	pH	Quarterly	7.9	pH Unit	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Phosphorus (total)	Quarterly	1.74	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Potassium	Quarterly	1540	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Redox Potential	Quarterly	-7.3	mV	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Sodium	Quarterly	2120	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Sulfate	Quarterly	1240	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Total Dissolved Solids	Quarterly	11100	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
16/04/2023	15/03/2023	52 - A5BL1	1	Total Organic Carbon	Quarterly	160	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Zinc	Quarterly	0.029	mg/L	NA	NA	
16/04/2023	15/03/2023	52 - A5BL1	1	Organotin Compounds	Quarterly	<118	ngSn/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Adsorbable Organic Halogens	Quarterly	1900	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Alkalinity (as calcium Carbonate)	Quarterly	6850	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Aluminium	Quarterly	0.65	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Arsenic	Quarterly	0.073	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Barium	Quarterly	1.79	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Bicarbonate	Quarterly	6850	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Biological oxygen Demand	Quarterly	83	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Cadmium	Quarterly	0.0001	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Calcium	Quarterly	77	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Chloride	Quarterly	4740	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Chromium	Quarterly	0.664	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Conductivity	Quarterly	22500	µS/cm	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Copper	Quarterly	0.005	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Dissolved Oxygen	Quarterly	1.5	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Fluoride	Quarterly	1.3	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Lead	Quarterly	0.002	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Magnesium	Quarterly	291	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Manganese	Quarterly	0.751	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Nitrate	Quarterly	<1.00	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Nitrite	Quarterly	<1.00	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Nitrogen (ammonia)	Quarterly	488	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Nitrogen (Total)	Quarterly	521	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	pH	Quarterly	8.05	pH Unit	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Phosphorus (total)	Quarterly	7.55	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Potassium	Quarterly	263	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Redox Potential	Quarterly	50.5	mV	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Sodium	Quarterly	3960	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Sulfate	Quarterly	<100	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Total Dissolved Solids	Quarterly	14300	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
18/04/2023	16/03/2023	55 - L13	1	Total Organic Carbon	Quarterly	654	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
18/04/2023	16/03/2023	55 - L13	1	Zinc	Quarterly	0.038	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Adsorbable Organic Halogens	Quarterly	1100	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Alkalinity (as calcium Carbonate)	Quarterly	4560	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Aluminium	Quarterly	0.51	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Arsenic	Quarterly	0.079	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Barium	Quarterly	0.816	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Bicarbonate	Quarterly	4560	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Biological oxygen Demand	Quarterly	35	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Calcium	Quarterly	148	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Chloride	Quarterly	2640	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Chromium	Quarterly	0.310	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Conductivity	Quarterly	13200	µS/cm	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Copper	Quarterly	0.005	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Dissolved Oxygen	Quarterly	1.9	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Fluoride	Quarterly	1.0	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Lead	Quarterly	0.002	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Magnesium	Quarterly	166	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Manganese	Quarterly	1.02	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Nitrate	Quarterly	<1.00	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Nitrite	Quarterly	<1.00	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Nitrogen (ammonia)	Quarterly	467	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Nitrogen (Total)	Quarterly	450	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	pH	Quarterly	8.06	pH Unit	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Phosphorus (total)	Quarterly	5.00	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Potassium	Quarterly	226	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Redox Potential	Quarterly	70.5	mV	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Sodium	Quarterly	2200	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Sulfate	Quarterly	<100	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Total Dissolved Solids	Quarterly	8000	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Total Organic Carbon	Quarterly	394	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
18/04/2023	16/03/2023	62 - F4	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
18/04/2023	16/03/2023	62 - F4	1	Zinc	Quarterly	0.033	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Adsorbable Organic Halogens	Quarterly	2100	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Alkalinity (as calcium Carbonate)	Quarterly	1510	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Aluminium	Quarterly	0.03	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Arsenic	Quarterly	0.044	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Barium	Quarterly	0.343	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Bicarbonate	Quarterly	1510	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Biological oxygen Demand	Quarterly	34	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Cadmium	Quarterly	0.0003	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Calcium	Quarterly	268	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Chloride	Quarterly	4450	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Chromium	Quarterly	0.05	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Conductivity	Quarterly	17600	µS/cm	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Copper	Quarterly	0.011	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Dissolved Oxygen	Quarterly	1.1	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Fluoride	Quarterly	3.3	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Lead	Quarterly	0.006	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Magnesium	Quarterly	138	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Manganese	Quarterly	1.18	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Nitrogen (ammonia)	Quarterly	156	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Nitrogen (Total)	Quarterly	177	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	pH	Quarterly	7.88	pH Unit	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Phosphorus (total)	Quarterly	2.12	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Potassium	Quarterly	1400	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Redox Potential	Quarterly	11.4	mV	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Sodium	Quarterly	2070	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Sulfate	Quarterly	949	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Total Dissolved Solids	Quarterly	10400	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Total Organic Carbon	Quarterly	179	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
14/04/2023	15/03/2023	A67L1	1	Zinc	Quarterly	0.03	mg/L	NA	NA	