



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
Special Frequency 4 means monitoring of the leachate detection system of the restricted solid waste cells for monitoring points 37, 39 and 53. Monitoring is undertaken quarterly and where sufficient liquid is available.											
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Adsorbable Organic Halogens	Quarterly	5.5	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Alkalinity (as calcium Carbonate)	Quarterly	5900	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Aluminium	Quarterly	0.41	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Arsenic	Quarterly	0.034	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Barium	Quarterly	2.87	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Bicarbonate	Quarterly	5900	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Biological oxygen Demand	Quarterly	85	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Cadmium	Quarterly	<0.0010	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Calcium	Quarterly	54	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Chloride	Quarterly	16400	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Chromium	Quarterly	0.222	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Conductivity	Quarterly	58000	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Copper	Quarterly	<0.010	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Dissolved Oxygen	Quarterly	3.8	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Fluoride	Quarterly	1.6	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Lead	Quarterly	<0.010	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Magnesium	Quarterly	313	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Manganese	Quarterly	0.102	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Nitrogen (ammonia)	Quarterly	1160	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Nitrogen (Total)	Quarterly	1250	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	pH	Quarterly	7.84	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Phosphorus (total)	Quarterly	<5.00	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Potassium	Quarterly	2520	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Redox Potential	Quarterly	66.4	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Sodium	Quarterly	10300	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Sulfate	Quarterly	63	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Total Dissolved Solids	Quarterly	35300	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Total Organic Carbon	Quarterly	1030	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Total Phenolics	Quarterly	0.13	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	26 - L7	1	Zinc	Quarterly	<0.052	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Adsorbable Organic Halogens	Quarterly	4	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Alkalinity (as calcium Carbonate)	Quarterly	2200	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Aluminium	Quarterly	0.02	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Arsenic	Quarterly	0.118	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Barium	Quarterly	0.077	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Bicarbonate	Quarterly	1550	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Biological oxygen Demand	Quarterly	45	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Cadmium	Quarterly	0.0002	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Calcium	Quarterly	28	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Chloride	Quarterly	5780	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Chromium	Quarterly	0.035	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Conductivity	Quarterly	22700	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Copper	Quarterly	0.008	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Dissolved Oxygen	Quarterly	1.6	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Fluoride	Quarterly	2.4	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Lead	Quarterly	0.002	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Magnesium	Quarterly	132	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Manganese	Quarterly	0.131	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Nitrate	Quarterly	0.51	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Nitrogen (ammonia)	Quarterly	772	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Nitrogen (Total)	Quarterly	714	mg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	27 - L10	1	Organotin MBT	Quarterly	0.027	µg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	27 - L10	1	Organotin DBT	Quarterly	<0.010	µg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	27 - L10	1	Organotin TBT	Quarterly	0.0097	µg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	pH	Quarterly	8.72	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Phosphorus (total)	Quarterly	<2.00	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Potassium	Quarterly	1140	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Redox Potential	Quarterly	30.2	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Sodium	Quarterly	3260	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Sulfate	Quarterly	1530	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Total Dissolved Solids	Quarterly	12000	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Total Organic Carbon	Quarterly	273	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Total Phenolics	Quarterly	0.43	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	27 - L10	1	Zinc	Quarterly	0.045	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Adsorbable Organic Halogens	Quarterly	1.3	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Alkalinity (as calcium Carbonate)	Quarterly	578	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Aluminium	Quarterly	1.67	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Arsenic	Quarterly	0.047	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Barium	Quarterly	0.152	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Bicarbonate	Quarterly	578	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Biological oxygen Demand	Quarterly	<2	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Cadmium	Quarterly	0.0024	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Calcium	Quarterly	192	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Chloride	Quarterly	3260	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Chromium	Quarterly	0.022	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Conductivity	Quarterly	12600	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Copper	Quarterly	0.036	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Dissolved Oxygen	Quarterly	4.8	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Fluoride	Quarterly	1.5	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Lead	Quarterly	0.025	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Magnesium	Quarterly	186	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Manganese	Quarterly	1.37	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Mercury	Quarterly	0.0005	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Nitrate	Quarterly	0.81	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Nitrogen (ammonia)	Quarterly	38.7	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Nitrogen (Total)	Quarterly	53.4	mg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	28 - A2L1	1	Organotin MBT	Quarterly	<0.020	µg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	28 - A2L1	1	Organotin DBT	Quarterly	<0.010	µg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	28 - A2L1	1	Organotin TBT	Quarterly	<0.0020	µg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	pH	Quarterly	7.43	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Phosphorus (total)	Quarterly	<5.00	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Potassium	Quarterly	846	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Redox Potential	Quarterly	105	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Sodium	Quarterly	1530	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Sulfate	Quarterly	1230	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Total Dissolved Solids	Quarterly	7550	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Total Organic Carbon	Quarterly	77	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	28 - A2L1	1	Zinc	Quarterly	0.202	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Adsorbable Organic Halogens	Quarterly	2.1	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Alkalinity (as calcium Carbonate)	Quarterly	1750	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Aluminium	Quarterly	0.21	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Arsenic	Quarterly	1.62	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Barium	Quarterly	0.156	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Bicarbonate	Quarterly	1750	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Biological oxygen Demand	Quarterly	26	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Cadmium	Quarterly	0.0005	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Calcium	Quarterly	271	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Chloride	Quarterly	5370	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Chromium	Quarterly	0.027	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Conductivity	Quarterly	21400	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Copper	Quarterly	0.002	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Dissolved Oxygen	Quarterly	0.5	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Fluoride	Quarterly	2.2	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Lead	Quarterly	0.002	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Magnesium	Quarterly	813	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Manganese	Quarterly	1.83	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Nitrite	Quarterly	0.06	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Nitrogen (ammonia)	Quarterly	202	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Nitrogen (Total)	Quarterly	205	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	pH	Quarterly	7.70	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Phosphorus (total)	Quarterly	<2.00	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Potassium	Quarterly	1160	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Redox Potential	Quarterly	-27.4	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Sodium	Quarterly	3070	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Sulfate	Quarterly	3340	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Total Dissolved Solids	Quarterly	15000	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Total Organic Carbon	Quarterly	280	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Total Phenolics	Quarterly	0.24	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	29 - A2L2	1	Zinc	Quarterly	0.009	mg/L	NA	NA	
21/11/2023	-	-	36 - A5L1	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Aluminium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Arsenic	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Barium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Cadmium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Calcium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	-	-	36 - A5L1	1	Chloride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Chromium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Conductivity	Quarterly	-	µS/cm	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Copper	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Fluoride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Lead	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Magnesium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Manganese	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Mercury	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Nitrate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Nitrite	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Organotin MBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Organotin DBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Organotin TBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	pH	Quarterly	-	pH Unit	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Potassium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Redox Potential	Quarterly	-	mV	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Sodium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Sulfate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	36 - A5L1	1	Zinc	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Adsorbable Organic Halogens	Quarterly	3.4	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Alkalinity (as calcium Carbonate)	Quarterly	1990	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Aluminium	Quarterly	0.03	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Arsenic	Quarterly	0.053	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Barium	Quarterly	0.425	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Bicarbonate	Quarterly	1990	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Biological oxygen Demand	Quarterly	36	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Cadmium	Quarterly	0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Calcium	Quarterly	192	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Chloride	Quarterly	4760	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: 4068

Licensee Name: Cleanaway

Facility Address: 1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Chromium	Quarterly	0.076	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Conductivity	Quarterly	20000	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Copper	Quarterly	0.006	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Dissolved Oxygen	Quarterly	1.8	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Fluoride	Quarterly	3.9	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Lead	Quarterly	0.002	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Magnesium	Quarterly	133	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Manganese	Quarterly	0.959	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Nitrate	Quarterly	0.99	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Nitrogen (ammonia)	Quarterly	174	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Nitrogen (Total)	Quarterly	175	mg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	38 - A4L1	1	Organotin MBT	Quarterly	<0.020	µg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	38 - A4L1	1	Organotin DBT	Quarterly	<0.010	µg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	38 - A4L1	1	Organotin TBT	Quarterly	0.0035	µg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	pH	Quarterly	7.77	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Phosphorus (total)	Quarterly	7.81	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Potassium	Quarterly	1000	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Redox Potential	Quarterly	115	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Sodium	Quarterly	2370	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Sulfate	Quarterly	860	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Total Dissolved Solids	Quarterly	9880	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Total Organic Carbon	Quarterly	325	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Total Phenolics	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	38 - A4L1	1	Zinc	Quarterly	0.017	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Adsorbable Organic Halogens	Quarterly	2.4	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Alkalinity (as calcium Carbonate)	Quarterly	4420	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Aluminium	Quarterly	0.26	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Arsenic	Quarterly	0.144	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Barium	Quarterly	0.766	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Bicarbonate	Quarterly	4420	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Biological oxygen Demand	Quarterly	70	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Calcium	Quarterly	61	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Chloride	Quarterly	2120	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Chromium	Quarterly	0.220	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Conductivity	Quarterly	13000	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Copper	Quarterly	0.003	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Dissolved Oxygen	Quarterly	0.2	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Fluoride	Quarterly	0.8	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Lead	Quarterly	0.001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Magnesium	Quarterly	128	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Manganese	Quarterly	0.317	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Mercury	Quarterly	0.0002	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Nitrogen (ammonia)	Quarterly	689	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Nitrogen (Total)	Quarterly	650	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	pH	Quarterly	7.77	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Phosphorus (total)	Quarterly	<10.0	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Potassium	Quarterly	158	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Redox Potential	Quarterly	77.1	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Sodium	Quarterly	1750	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Sulfate	Quarterly	<50	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Total Dissolved Solids	Quarterly	6770	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Total Organic Carbon	Quarterly	489	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Total Phenolics	Quarterly	0.34	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	40 - L11	1	Zinc	Quarterly	0.013	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Adsorbable Organic Halogens	Quarterly	4.8	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Alkalinity (as calcium Carbonate)	Quarterly	18500	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Aluminium	Quarterly	0.04	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Arsenic	Quarterly	0.218	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Barium	Quarterly	0.042	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Bicarbonate	Quarterly	3300	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Biological oxygen Demand	Quarterly	105	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Cadmium	Quarterly	0.0025	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Calcium	Quarterly	4	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Chloride	Quarterly	7100	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Chromium	Quarterly	0.091	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Conductivity	Quarterly	52100	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Copper	Quarterly	0.119	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Dissolved Oxygen	Quarterly	2.4	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Fluoride	Quarterly	13.8	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Lead	Quarterly	0.023	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Magnesium	Quarterly	103	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Manganese	Quarterly	0.068	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Mercury	Quarterly	0.0011	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Nitrogen (ammonia)	Quarterly	6620	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Nitrogen (Total)	Quarterly	5640	mg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	41 - A3L1	1	Organotin MBT	Quarterly	0.38	µg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	41 - A3L1	1	Organotin DBT	Quarterly	0.17	µg/L	NA	NA	
21/11/2023	4/10/2023	20/09/2023	41 - A3L1	1	Organotin TBT	Quarterly	0.046	µg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	pH	Quarterly	9.51	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Phosphorus (total)	Quarterly	<10.0	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Potassium	Quarterly	4180	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Redox Potential	Quarterly	-48.5	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Sodium	Quarterly	5040	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Sulfate	Quarterly	8060	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Total Dissolved Solids	Quarterly	27600	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Total Organic Carbon	Quarterly	729	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Total Phenolics	Quarterly	2.43	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	41 - A3L1	1	Zinc	Quarterly	1.49	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Adsorbable Organic Halogens	Quarterly	6.8	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Alkalinity (as calcium Carbonate)	Quarterly	18800	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Aluminium	Quarterly	2.49	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Arsenic	Quarterly	0.549	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Barium	Quarterly	1.43	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Bicarbonate	Quarterly	18800	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Biological oxygen Demand	Quarterly	102	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Cadmium	Quarterly	<0.0010	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Calcium	Quarterly	34	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Chloride	Quarterly	4590	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Chromium	Quarterly	1.85	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Conductivity	Quarterly	40000	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Copper	Quarterly	<0.010	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Dissolved Oxygen	Quarterly	<0.1	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Fluoride	Quarterly	4.4	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Lead	Quarterly	<0.010	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Magnesium	Quarterly	232	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Manganese	Quarterly	0.408	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Nitrogen (ammonia)	Quarterly	1420	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Nitrogen (Total)	Quarterly	1520	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	pH	Quarterly	8.11	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Phosphorus (total)	Quarterly	<10.0	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Potassium	Quarterly	483	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Redox Potential	Quarterly	-119	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Sodium	Quarterly	8060	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Sulfate	Quarterly	948	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Total Dissolved Solids	Quarterly	30400	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Total Organic Carbon	Quarterly	1820	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Total Phenolics	Quarterly	0.36	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	44 - L12	1	Zinc	Quarterly	0.143	mg/L	NA	NA	
21/11/2023	-	-	52 - A5BL1	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Aluminium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Arsenic	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Barium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Cadmium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Calcium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Chloride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Chromium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Conductivity	Quarterly	-	µS/cm	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Copper	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Fluoride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Lead	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Magnesium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Manganese	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Mercury	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Nitrate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	-	-	52 - A5BL1	1	Nitrite	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Organotin MBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Organotin DBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Organotin TBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	pH	Quarterly	-	pH Unit	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Potassium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Redox Potential	Quarterly	-	mV	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Sodium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Sulfate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	-	-	52 - A5BL1	1	Zinc	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Adsorbable Organic Halogens	Quarterly	1.8	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Alkalinity (as calcium Carbonate)	Quarterly	7430	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Aluminium	Quarterly	1.13	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Arsenic	Quarterly	0.077	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Barium	Quarterly	2.06	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Bicarbonate	Quarterly	7430	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Biological oxygen Demand	Quarterly	76	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Calcium	Quarterly	78	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Chloride	Quarterly	4580	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Chromium	Quarterly	0.720	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Conductivity	Quarterly	24000	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Copper	Quarterly	0.006	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Dissolved Oxygen	Quarterly	2.1	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Fluoride	Quarterly	1.4	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Lead	Quarterly	0.006	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Magnesium	Quarterly	327	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Manganese	Quarterly	0.753	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Nitrate	Quarterly	1.07	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Nitrogen (ammonia)	Quarterly	518	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Nitrogen (Total)	Quarterly	608	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	pH	Quarterly	7.90	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Phosphorus (total)	Quarterly	<10.0	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Potassium	Quarterly	293	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Redox Potential	Quarterly	34.6	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Sodium	Quarterly	4480	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Sulfate	Quarterly	<50	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Total Dissolved Solids	Quarterly	14700	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Total Organic Carbon	Quarterly	1190	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Total Phenolics	Quarterly	0.12	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	55 - L13	1	Zinc	Quarterly	0.059	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Adsorbable Organic Halogens	Quarterly	1.6	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Alkalinity (as calcium Carbonate)	Quarterly	4930	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Aluminium	Quarterly	0.72	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Arsenic	Quarterly	0.077	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Barium	Quarterly	0.990	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Bicarbonate	Quarterly	4930	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Biological oxygen Demand	Quarterly	64	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Calcium	Quarterly	174	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Chloride	Quarterly	2460	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Chromium	Quarterly	0.394	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Conductivity	Quarterly	14800	µS/cm	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Copper	Quarterly	0.005	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Dissolved Oxygen	Quarterly	1.9	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Fluoride	Quarterly	0.8	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Lead	Quarterly	0.002	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Magnesium	Quarterly	184	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Manganese	Quarterly	1.22	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Nitrogen (ammonia)	Quarterly	597	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Nitrogen (Total)	Quarterly	636	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	pH	Quarterly	7.89	pH Unit	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Phosphorus (total)	Quarterly	<10.0	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: 4068

Licensee Name: Cleanaway

Facility Address: 1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - July 2023 - September 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Potassium	Quarterly	286	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Redox Potential	Quarterly	70.5	mV	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Sodium	Quarterly	2290	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Sulfate	Quarterly	<50	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Total Dissolved Solids	Quarterly	7850	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Total Organic Carbon	Quarterly	644	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Total Phenolics	Quarterly	<0.10	mg/L	NA	NA	
21/11/2023	15/11/2023	18/09/2023	62 - F4	1	Zinc	Quarterly	0.045	mg/L	NA	NA	