



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	-	-	26 - L7	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Aluminium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Arsenic	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Barium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Cadmium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Calcium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Chloride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Chromium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Conductivity	Quarterly	-	µS/cm	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Copper	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Fluoride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Lead	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Magnesium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Manganese	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Mercury	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Nitrate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Nitrite	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	pH	Quarterly	-	pH Unit	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Potassium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Redox Potential	Quarterly	-	mV	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Sodium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Sulfate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	26 - L7	1	Zinc	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling

Special Frequency 4 means monitoring of the leachate detection system of the restricted solid waste cells for monitoring points 37, 39 and 53. Monitoring is undertaken quarterly and where sufficient liquid is available.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Adsorbable Organic Halogens	Quarterly	3.6	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Alkalinity (as calcium Carbonate)	Quarterly	2490	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Aluminium	Quarterly	0.07	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Arsenic	Quarterly	0.098	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Barium	Quarterly	0.738	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Bicarbonate	Quarterly	2490	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Biological oxygen Demand	Quarterly	29	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Cadmium	Quarterly	0.0002	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Calcium	Quarterly	382	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Chloride	Quarterly	6910	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Chromium	Quarterly	0.048	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Conductivity	Quarterly	22500	µS/cm	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Copper	Quarterly	0.004	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Dissolved Oxygen	Quarterly	1.7	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Fluoride	Quarterly	1.1	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Lead	Quarterly	0.002	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Magnesium	Quarterly	285	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Manganese	Quarterly	2.04	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Nitrate	Quarterly	0.03	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Nitrogen (ammonia)	Quarterly	272	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Nitrogen (Total)	Quarterly	319	mg/L	NA	NA	
29/02/2024	11/02/2024	20/12/2023	27 - L10	1	Organotin MBT	Quarterly	8.04	µg/L	0.00	NA	
29/02/2024	11/02/2024	20/12/2023	27 - L10	1	Organotin DBT	Quarterly	3.81	µg/L	0.00	NA	
29/02/2024	11/02/2024	20/12/2023	27 - L10	1	Organotin TBT	Quarterly	546	µg/L	0.00	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	pH	Quarterly	166	pH Unit	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Phosphorus (total)	Quarterly	3490	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Potassium	Quarterly	439	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Redox Potential	Quarterly	14000	mV	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Sodium	Quarterly	249	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Sulfate	Quarterly	<0.05	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Total Dissolved Solids	Quarterly	0.009	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Total Organic Carbon	Quarterly	356	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Total Phenolics	Quarterly	0.35	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	27 - L10	1	Zinc	Quarterly	0.605	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Adsorbable Organic Halogens	Quarterly	3.7	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Alkalinity (as calcium Carbonate)	Quarterly	2060	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Aluminium	Quarterly	0.17	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Arsenic	Quarterly	0.512	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Barium	Quarterly	0.137	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Bicarbonate	Quarterly	2060	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Biological oxygen Demand	Quarterly	11	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Cadmium	Quarterly	0.0048	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Calcium	Quarterly	225	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Chloride	Quarterly	5600	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Chromium	Quarterly	0.022	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Conductivity	Quarterly	22700	µS/cm	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Copper	Quarterly	0.017	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Dissolved Oxygen	Quarterly	2.3	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Fluoride	Quarterly	1.9	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Lead	Quarterly	0.003	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Magnesium	Quarterly	566	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Manganese	Quarterly	1.4	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Nitrate	Quarterly	5.97	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Nitrite	Quarterly	4.63	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Nitrogen (ammonia)	Quarterly	374	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Nitrogen (Total)	Quarterly	446	mg/L	NA	NA	
29/02/2024	11/01/2024	20/12/2023	28 - A2L1	1	Organotin MBT	Quarterly	<0.020	µg/L	NA	NA	
29/02/2024	11/01/2024	20/12/2023	28 - A2L1	1	Organotin DBT	Quarterly	<0.010	µg/L	NA	NA	
29/02/2024	11/01/2024	20/12/2023	28 - A2L1	1	Organotin TBT	Quarterly	<0.0020	µg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	pH	Quarterly	8.08	pH Unit	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Phosphorus (total)	Quarterly	0.83	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Potassium	Quarterly	1390	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Redox Potential	Quarterly	142	mV	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Sodium	Quarterly	2480	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Sulfate	Quarterly	3220	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Total Dissolved Solids	Quarterly	14700	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Total Organic Carbon	Quarterly	102	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	28 - A2L1	1	Zinc	Quarterly	0.164	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Adsorbable Organic Halogens	Quarterly	2.2	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Alkalinity (as calcium Carbonate)	Quarterly	3480	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Aluminium	Quarterly	0.01	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Arsenic	Quarterly	1.71	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Barium	Quarterly	0.054	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Bicarbonate	Quarterly	3480	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Biological oxygen Demand	Quarterly	11	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Cadmium	Quarterly	0.0006	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Calcium	Quarterly	40	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Chloride	Quarterly	6280	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Chromium	Quarterly	0.023	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Conductivity	Quarterly	28900	µS/cm	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Copper	Quarterly	0.005	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Dissolved Oxygen	Quarterly	1.6	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Fluoride	Quarterly	2.9	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Lead	Quarterly	<0.001	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Magnesium	Quarterly	798	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Manganese	Quarterly	0.05	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Nitrite	Quarterly	9.78	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Nitrogen (ammonia)	Quarterly	899	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Nitrogen (Total)	Quarterly	818	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	pH	Quarterly	8.2	pH Unit	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Phosphorus (total)	Quarterly	2.17	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Potassium	Quarterly	1840	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Redox Potential	Quarterly	132	mV	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Sodium	Quarterly	3000	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Sulfate	Quarterly	4900	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Total Dissolved Solids	Quarterly	18200	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Total Organic Carbon	Quarterly	307	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	29 - A2L2	1	Zinc	Quarterly	0.024	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	-	-	36 - A5L1	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Aluminium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Arsenic	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Barium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Cadmium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Calcium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Chloride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Chromium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Conductivity	Quarterly	-	µS/cm	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Copper	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Fluoride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Lead	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Magnesium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Manganese	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Mercury	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Nitrate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Nitrite	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Organotin MBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Organotin DBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Organotin TBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	pH	Quarterly	-	pH Unit	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Potassium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Redox Potential	Quarterly	-	mV	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Sodium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Sulfate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	36 - A5L1	1	Zinc	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Adsorbable Organic Halogens	Quarterly	4.6	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Alkalinity (as calcium Carbonate)	Quarterly	2550	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Aluminium	Quarterly	0.12	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Arsenic	Quarterly	0.111	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Barium	Quarterly	0.732	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Bicarbonate	Quarterly	2550	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Biological oxygen Demand	Quarterly	23	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Cadmium	Quarterly	0.0009	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Calcium	Quarterly	375	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Chloride	Quarterly	6900	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Chromium	Quarterly	0.048	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Conductivity	Quarterly	23400	µS/cm	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Copper	Quarterly	0.014	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Dissolved Oxygen	Quarterly	1.6	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Fluoride	Quarterly	1.1	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Lead	Quarterly	0.004	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Magnesium	Quarterly	289	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Manganese	Quarterly	2.01	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Mercury	Quarterly	0.0036	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Nitrate	Quarterly	0.01	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Nitrogen (ammonia)	Quarterly	301	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Nitrogen (Total)	Quarterly	317	mg/L	NA	NA	
29/02/2024	11/01/2024	20/12/2023	38 - A4L1	1	Organotin MBT	Quarterly	<0.020	µg/L	NA	NA	
29/02/2024	11/01/2024	20/12/2023	38 - A4L1	1	Organotin DBT	Quarterly	<0.010	µg/L	NA	NA	
29/02/2024	11/01/2024	20/12/2023	38 - A4L1	1	Organotin TBT	Quarterly	0.0024	µg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	pH	Quarterly	8.05	pH Unit	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Phosphorus (total)	Quarterly	4	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Potassium	Quarterly	550	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Redox Potential	Quarterly	117	mV	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Sodium	Quarterly	3490	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Sulfate	Quarterly	426	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Total Dissolved Solids	Quarterly	13700	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Total Organic Carbon	Quarterly	275	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	38 - A4L1	1	Zinc	Quarterly	0.028	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Adsorbable Organic Halogens	Quarterly	2	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Alkalinity (as calcium Carbonate)	Quarterly	3920	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Aluminium	Quarterly	0.61	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Arsenic	Quarterly	0.152	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Barium	Quarterly	0.675	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Bicarbonate	Quarterly	3920	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Biological oxygen Demand	Quarterly	32	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Cadmium	Quarterly	0.0002	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Calcium	Quarterly	48	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Chloride	Quarterly	1640	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Chromium	Quarterly	0.174	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Conductivity	Quarterly	11500	µS/cm	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Copper	Quarterly	0.017	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Dissolved Oxygen	Quarterly	2.8	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Fluoride	Quarterly	0.8	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Lead	Quarterly	0.008	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Magnesium	Quarterly	114	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Manganese	Quarterly	0.27	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Mercury	Quarterly	0.0005	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Nitrate	Quarterly	1.27	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Nitrogen (ammonia)	Quarterly	557	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Nitrogen (Total)	Quarterly	590	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	pH	Quarterly	8.02	pH Unit	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Phosphorus (total)	Quarterly	5.64	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Potassium	Quarterly	132	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Redox Potential	Quarterly	-4	mV	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Sodium	Quarterly	1620	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Sulfate	Quarterly	<10	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Total Dissolved Solids	Quarterly	5830	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Total Organic Carbon	Quarterly	246	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Total Phenolics	Quarterly	0.06	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	40 - L11	1	Zinc	Quarterly	0.073	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Adsorbable Organic Halogens	Quarterly	16	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Alkalinity (as calcium Carbonate)	Quarterly	20200	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Aluminium	Quarterly	1.43	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Arsenic	Quarterly	0.195	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Barium	Quarterly	0.052	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Bicarbonate	Quarterly	6200	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Biological oxygen Demand	Quarterly	34	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Cadmium	Quarterly	0.0025	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Calcium	Quarterly	4	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Chloride	Quarterly	9730	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Chromium	Quarterly	0.1	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Conductivity	Quarterly	55500	µS/cm	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Copper	Quarterly	0.042	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Dissolved Oxygen	Quarterly	1.4	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Fluoride	Quarterly	12	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Lead	Quarterly	0.01	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Magnesium	Quarterly	177	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Manganese	Quarterly	0.067	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Mercury	Quarterly	<0.0005	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Nitrate	Quarterly	94.4	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Nitrite	Quarterly	83.6	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Nitrogen (ammonia)	Quarterly	5190	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Nitrogen (Total)	Quarterly	5880	mg/L	NA	NA	
29/02/2024	11/01/2024	20/12/2023	41 - A3L1	1	Organotin MBT	Quarterly	0.1	µg/L	0.00	NA	
29/02/2024	11/01/2024	20/12/2023	41 - A3L1	1	Organotin DBT	Quarterly	0.092	µg/L	0.00	NA	
29/02/2024	11/01/2024	20/12/2023	41 - A3L1	1	Organotin TBT	Quarterly	0.028	µg/L	0.00	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	pH	Quarterly	9.34	pH Unit	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Phosphorus (total)	Quarterly	5.99	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Potassium	Quarterly	5030	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Redox Potential	Quarterly	51.8	mV	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Sodium	Quarterly	5340	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Sulfate	Quarterly	9120	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Total Dissolved Solids	Quarterly	29700	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Total Organic Carbon	Quarterly	452	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Total Phenolics	Quarterly	<0.05	mg/L	NA	NA	
29/02/2024	28/12/2023	13/12/2023	41 - A3L1	1	Zinc	Quarterly	1.39	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Adsorbable Organic Halogens	Quarterly	3.1	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Alkalinity (as calcium Carbonate)	Quarterly	18800	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Aluminium	Quarterly	2.56	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Arsenic	Quarterly	0.691	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Barium	Quarterly	1.55	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Bicarbonate	Quarterly	18800	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Biological oxygen Demand	Quarterly	112	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Cadmium	Quarterly	<0.0010	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Calcium	Quarterly	36	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Chloride	Quarterly	5160	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Chromium	Quarterly	1.59	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Conductivity	Quarterly	35400	µS/cm	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Copper	Quarterly	<0.010	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Dissolved Oxygen	Quarterly	0.5	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Fluoride	Quarterly	4.6	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Lead	Quarterly	<0.010	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Magnesium	Quarterly	214	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Manganese	Quarterly	0.484	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Mercury	Quarterly	<0.0010	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Nitrate	Quarterly	4.28	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Nitrite	Quarterly	<0.50	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Nitrogen (ammonia)	Quarterly	1060	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Nitrogen (Total)	Quarterly	1420	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	pH	Quarterly	8.13	pH Unit	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Phosphorus (total)	Quarterly	24.7	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Potassium	Quarterly	467	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Redox Potential	Quarterly	-318	mV	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Sodium	Quarterly	8040	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Sulfate	Quarterly	675	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Total Dissolved Solids	Quarterly	28900	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Total Organic Carbon	Quarterly	1600	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Total Phenolics	Quarterly	0.14	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	44 - L12	1	Zinc	Quarterly	0.109	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	-	-	52 - A5BL1	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Aluminium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Arsenic	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Barium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Cadmium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Calcium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Chloride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Chromium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Conductivity	Quarterly	-	µS/cm	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Copper	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Fluoride	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Lead	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Magnesium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Manganese	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Mercury	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Nitrate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Nitrite	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Organotin MBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Organotin DBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Organotin TBT	Quarterly	-	µg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	pH	Quarterly	-	pH Unit	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Potassium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Redox Potential	Quarterly	-	mV	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Sodium	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Sulfate	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling
29/02/2024	-	-	52 - A5BL1	1	Zinc	Quarterly	-	mg/L	NA	NA	Monitoring point not operational at the time of sampling



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Adsorbable Organic Halogens	Quarterly	6.8	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Alkalinity (as calcium Carbonate)	Quarterly	6030	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Aluminium	Quarterly	0.49	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Arsenic	Quarterly	0.074	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Barium	Quarterly	1.35	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Bicarbonate	Quarterly	6030	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Biological oxygen Demand	Quarterly	68	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Calcium	Quarterly	77	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Chloride	Quarterly	3960	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Chromium	Quarterly	0.59	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Conductivity	Quarterly	21500	µS/cm	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Copper	Quarterly	0.003	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Dissolved Oxygen	Quarterly	5.1	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Fluoride	Quarterly	1.4	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Lead	Quarterly	0.002	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Magnesium	Quarterly	295	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Manganese	Quarterly	0.697	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Mercury	Quarterly	<0.0010	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Nitrate	Quarterly	<1.00	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Nitrite	Quarterly	<0.10	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Nitrogen (ammonia)	Quarterly	376	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Nitrogen (Total)	Quarterly	506	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	pH	Quarterly	8.03	pH Unit	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Phosphorus (total)	Quarterly	9.16	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Potassium	Quarterly	296	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Redox Potential	Quarterly	33.7	mV	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Sodium	Quarterly	4120	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Sulfate	Quarterly	<10	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Total Dissolved Solids	Quarterly	14800	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Total Organic Carbon	Quarterly	670	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Total Phenolics	Quarterly	<0.10	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	55 - L13	1	Zinc	Quarterly	0.029	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licensee Name:

Cleanaway

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - October 2023 - December 2023

Date Monitoring Data Uploaded	Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Adsorbable Organic Halogens	Quarterly	2.7	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Alkalinity (as calcium Carbonate)	Quarterly	4030	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Aluminium	Quarterly	0.36	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Arsenic	Quarterly	0.06	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Barium	Quarterly	0.716	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Bicarbonate	Quarterly	4030	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Biological oxygen Demand	Quarterly	57	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Calcium	Quarterly	188	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Chloride	Quarterly	2510	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Chromium	Quarterly	0.267	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Conductivity	Quarterly	14000	µS/cm	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Copper	Quarterly	0.004	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Dissolved Oxygen	Quarterly	6.2	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Fluoride	Quarterly	0.8	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Lead	Quarterly	0.002	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Magnesium	Quarterly	164	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Manganese	Quarterly	0.97	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Nitrate	Quarterly	<1.00	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Nitrite	Quarterly	0.1	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Nitrogen (ammonia)	Quarterly	396	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Nitrogen (Total)	Quarterly	483	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	pH	Quarterly	7.85	pH Unit	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Phosphorus (total)	Quarterly	6.52	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Potassium	Quarterly	242	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Redox Potential	Quarterly	-21.4	mV	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Sodium	Quarterly	2250	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Sulfate	Quarterly	<10	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Total Dissolved Solids	Quarterly	5920	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Total Organic Carbon	Quarterly	366	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Total Phenolics	Quarterly	<0.10	mg/L	NA	NA	
29/02/2024	1/02/2024	19/01/2024	62 - F4	1	Zinc	Quarterly	0.023	mg/L	NA	NA	