



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
Special Frequency 4 means monitoring of the leachate detection system of the restricted solid waste cells for monitoring points 37, 39 and 53. Monitoring is undertaken quarterly and where sufficient liquid is available.										
-	-	26 - L7	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	No leachate available for sampling - sampling was attempted several times throughout the monitoring period.
-	-	26 - L7	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Aluminium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Arsenic	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Barium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Cadmium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Calcium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Chloride	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Chromium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Conductivity	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Copper	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Fluoride	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Lead	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Magnesium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Manganese	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Mercury	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Nitrate	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Nitrite	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	pH	Quarterly	-	pH Unit	NA	NA	
-	-	26 - L7	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Potassium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Redox Potential	Quarterly	-	mV	NA	NA	
-	-	26 - L7	1	Sodium	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Sulfate	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	
-	-	26 - L7	1	Zinc	Quarterly	-	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	27 - L10	1	Adsorbable Organic Halogens	Quarterly	1.2	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Alkalinity (as calcium Carbonate)	Quarterly	2090	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Aluminium	Quarterly	0.04	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Arsenic	Quarterly	0.163	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Barium	Quarterly	0.165	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Bicarbonate	Quarterly	2090	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Biological oxygen Demand	Quarterly	41	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Cadmium	Quarterly	0.0004	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Calcium	Quarterly	115	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Chloride	Quarterly	2430	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Chromium	Quarterly	0.029	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Conductivity	Quarterly	17.2	µS/cm	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Copper	Quarterly	0.009	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Dissolved Oxygen	Quarterly	2	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Fluoride	Quarterly	2	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Lead	Quarterly	0.003	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Magnesium	Quarterly	217	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Manganese	Quarterly	0.247	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Mercury	Quarterly	0.0003	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Nitrate	Quarterly	0.1	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Nitrogen (ammonia)	Quarterly	369	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Nitrogen (Total)	Quarterly	470	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	pH	Quarterly	8.1	pH Unit	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Phosphorus (total)	Quarterly	2.26	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Potassium	Quarterly	758	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Redox Potential	Quarterly	45.5	mV	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Sodium	Quarterly	2120	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Sulfate	Quarterly	87	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Total Dissolved Solids	Quarterly	8940	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Total Organic Carbon	Quarterly	149	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	27 - L10	1	Zinc	Quarterly	0.037	mg/L	NA	NA	
21/03/2024	12/03/2024	27 - L10	1	Organotin MBT	Quarterly	0.000031	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/03/2024	12/03/2024	27 - L10	1	Organotin DBT	Quarterly	0.00001	mg/L	NA	NA	
21/03/2024	12/03/2024	27 - L10	1	Organotin TBT	Quarterly	0.000002	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Adsorbable Organic Halogens	Quarterly	1.1	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Alkalinity (as calcium Carbonate)	Quarterly	2650	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Aluminium	Quarterly	2.86	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Arsenic	Quarterly	0.078	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Barium	Quarterly	0.114	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Bicarbonate	Quarterly	2420	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Biological oxygen Demand	Quarterly	44	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Cadmium	Quarterly	0.0039	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Calcium	Quarterly	34	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Chloride	Quarterly	4200	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Chromium	Quarterly	0.037	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Conductivity	Quarterly	19.2	µS/cm	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Copper	Quarterly	0.033	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Dissolved Oxygen	Quarterly	1.1	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Fluoride	Quarterly	2.5	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Lead	Quarterly	0.101	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Magnesium	Quarterly	194	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Manganese	Quarterly	1.29	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Nitrate	Quarterly	0.07	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Nitrogen (ammonia)	Quarterly	618	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Nitrogen (Total)	Quarterly	681	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	pH	Quarterly	8.46	pH Unit	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Phosphorus (total)	Quarterly	2.62	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Potassium	Quarterly	1300	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Redox Potential	Quarterly	17.5	mV	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Sodium	Quarterly	2040	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Sulfate	Quarterly	958	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Total Dissolved Solids	Quarterly	10200	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Total Organic Carbon	Quarterly	240	mg/L	NA	NA	
25/03/2024	12/03/2024	28 - A2L1	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	28 - A2L1	1	Zinc	Quarterly	0.221	mg/L	NA	NA	
21/03/2024	12/03/2024	28 - A2L1	1	Organotin MBT	Quarterly	0.000041	mg/L	NA	NA	
21/03/2024	12/03/2024	28 - A2L1	1	Organotin DBT	Quarterly	0.00001	mg/L	NA	NA	
21/03/2024	12/03/2024	28 - A2L1	1	Organotin TBT	Quarterly	0.00002	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Adsorbable Organic Halogens	Quarterly	3.5	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Alkalinity (as calcium Carbonate)	Quarterly	2170	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Aluminium	Quarterly	0.25	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Arsenic	Quarterly	0.635	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Barium	Quarterly	0.22	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Bicarbonate	Quarterly	2170	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Biological oxygen Demand	Quarterly	25	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Cadmium	Quarterly	0.0003	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Calcium	Quarterly	146	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Chloride	Quarterly	3970	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Chromium	Quarterly	0.026	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Conductivity	Quarterly	16.3	µS/cm	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Copper	Quarterly	0.003	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Dissolved Oxygen	Quarterly	2.8	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Fluoride	Quarterly	2.4	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Lead	Quarterly	0.002	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Magnesium	Quarterly	456	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Manganese	Quarterly	1.34	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Nitrate	Quarterly	0.07	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Nitrogen (ammonia)	Quarterly	286	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Nitrogen (Total)	Quarterly	356	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	pH	Quarterly	8.17	pH Unit	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Phosphorus (total)	Quarterly	1.92	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Potassium	Quarterly	897	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Redox Potential	Quarterly	1.8	mV	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Sodium	Quarterly	1860	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Sulfate	Quarterly	1890	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Total Dissolved Solids	Quarterly	9850	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	29 - A2L2	1	Total Organic Carbon	Quarterly	153	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	29 - A2L2	1	Zinc	Quarterly	0.015	mg/L	NA	NA	
-	-	36 - A5L1	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Aluminium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Arsenic	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Barium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Cadmium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Calcium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Chloride	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Chromium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Conductivity	Quarterly	-	µS/cm	NA	NA	
-	-	36 - A5L1	1	Copper	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Fluoride	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Lead	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Magnesium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Manganese	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Mercury	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Nitrate	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Nitrite	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	pH	Quarterly	-	pH Unit	NA	NA	
-	-	36 - A5L1	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Potassium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Redox Potential	Quarterly	-	mV	NA	NA	
-	-	36 - A5L1	1	Sodium	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Sulfate	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	

No leachate available for sampling - sampling was attempted several times throughout the monitoring period.



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
-	-	36 - A5L1	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Zinc	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Organotin MBT	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Organotin DBT	Quarterly	-	mg/L	NA	NA	
-	-	36 - A5L1	1	Organotin TBT	Quarterly	-	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Adsorbable Organic Halogens	Quarterly	2.4	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Alkalinity (as calcium Carbonate)	Quarterly	1990	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Aluminium	Quarterly	0.03	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Arsenic	Quarterly	0.095	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Barium	Quarterly	0.415	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Bicarbonate	Quarterly	1990	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Biological oxygen Demand	Quarterly	46	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Cadmium	Quarterly	0.0002	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Calcium	Quarterly	200	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Chloride	Quarterly	3690	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Chromium	Quarterly	0.076	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Conductivity	Quarterly	19.9	µS/cm	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Copper	Quarterly	0.004	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Dissolved Oxygen	Quarterly	3.6	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Fluoride	Quarterly	3.5	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Lead	Quarterly	0.004	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Magnesium	Quarterly	159	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Manganese	Quarterly	1.04	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Nitrate	Quarterly	0.02	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Nitrite	Quarterly	0.03	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Nitrogen (ammonia)	Quarterly	164	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Nitrogen (Total)	Quarterly	198	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	pH	Quarterly	7.86	pH Unit	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Phosphorus (total)	Quarterly	2.48	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Potassium	Quarterly	1780	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Redox Potential	Quarterly	44.2	mV	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Sodium	Quarterly	2470	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Sulfate	Quarterly	1940	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	38 - A4L1	1	Total Dissolved Solids	Quarterly	11700	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Total Organic Carbon	Quarterly	142	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	38 - A4L1	1	Zinc	Quarterly	0.043	mg/L	NA	NA	
21/03/2024	12/03/2024	38 - A4L1	1	Organotin MBT	Quarterly	0.00002	mg/L	NA	NA	
21/03/2024	12/03/2024	38 - A4L1	1	Organotin DBT	Quarterly	0.00001	mg/L	NA	NA	
21/03/2024	12/03/2024	38 - A4L1	1	Organotin TBT	Quarterly	0.000003	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Adsorbable Organic Halogens	Quarterly	1.8	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Alkalinity (as calcium Carbonate)	Quarterly	4070	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Aluminium	Quarterly	0.22	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Arsenic	Quarterly	0.036	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Barium	Quarterly	0.854	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Bicarbonate	Quarterly	4070	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Biological oxygen Demand	Quarterly	27	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Cadmium	Quarterly	0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Calcium	Quarterly	59	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Chloride	Quarterly	2460	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Chromium	Quarterly	0.173	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Conductivity	Quarterly	13.7	µS/cm	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Copper	Quarterly	0.006	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Dissolved Oxygen	Quarterly	2.7	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Fluoride	Quarterly	0.9	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Lead	Quarterly	0.002	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Magnesium	Quarterly	136	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Manganese	Quarterly	0.267	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Mercury	Quarterly	0.0002	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Nitrogen (ammonia)	Quarterly	522	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Nitrogen (Total)	Quarterly	570	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	40 - L11	1	pH	Quarterly	7.92	pH Unit	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Phosphorus (total)	Quarterly	4.21	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Potassium	Quarterly	161	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Redox Potential	Quarterly	48.9	mV	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Sodium	Quarterly	2190	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Sulfate	Quarterly	103	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Total Dissolved Solids	Quarterly	6510	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Total Organic Carbon	Quarterly	237	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	40 - L11	1	Zinc	Quarterly	0.024	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Adsorbable Organic Halogens	Quarterly	6.3	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Alkalinity (as calcium Carbonate)	Quarterly	12600	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Aluminium	Quarterly	0.18	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Arsenic	Quarterly	0.129	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Barium	Quarterly	0.03	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Bicarbonate	Quarterly	5000	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Biological oxygen Demand	Quarterly	330	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Cadmium	Quarterly	0.0011	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Calcium	Quarterly	4	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Chloride	Quarterly	5260	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Chromium	Quarterly	0.097	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Conductivity	Quarterly	41.5	µS/cm	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Copper	Quarterly	0.046	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Dissolved Oxygen	Quarterly	0.7	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Fluoride	Quarterly	10.7	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Lead	Quarterly	0.015	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Magnesium	Quarterly	108	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Manganese	Quarterly	0.02	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Mercury	Quarterly	0.0012	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Nitrogen (ammonia)	Quarterly	4340	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	41 - A3L1	1	Nitrogen (Total)	Quarterly	4580	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	pH	Quarterly	9.19	pH Unit	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Phosphorus (total)	Quarterly	17.6	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Potassium	Quarterly	2780	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Redox Potential	Quarterly	-116	mV	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Sodium	Quarterly	3650	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Sulfate	Quarterly	4630	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Total Dissolved Solids	Quarterly	19300	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Total Organic Carbon	Quarterly	147	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	41 - A3L1	1	Zinc	Quarterly	0.245	mg/L	NA	NA	
21/03/2024	12/03/2024	41 - A3L1	1	Organotin MBT	Quarterly	0.000031	mg/L	NA	NA	
21/03/2024	12/03/2024	42 - A3L1	1	Organotin DBT	Quarterly	0.00001	mg/L	NA	NA	
21/03/2024	12/03/2024	43 - A3L1	1	Organotin TBT	Quarterly	0.000042	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Adsorbable Organic Halogens	Quarterly	2.6	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Alkalinity (as calcium Carbonate)	Quarterly	12500	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Aluminium	Quarterly	1.25	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Arsenic	Quarterly	0.33	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Barium	Quarterly	0.986	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Bicarbonate	Quarterly	12500	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Biological oxygen Demand	Quarterly	79	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Cadmium	Quarterly	0.0004	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Calcium	Quarterly	61	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Chloride	Quarterly	3660	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Chromium	Quarterly	1.02	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Conductivity	Quarterly	27.8	µS/cm	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Copper	Quarterly	0.009	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Dissolved Oxygen	Quarterly	0.2	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Fluoride	Quarterly	2.2	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Lead	Quarterly	0.005	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Magnesium	Quarterly	245	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Manganese	Quarterly	0.306	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Mercury	Quarterly	<0.0005	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	44 - L12	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Nitrogen (ammonia)	Quarterly	1270	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Nitrogen (Total)	Quarterly	1420	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	pH	Quarterly	8.07	pH Unit	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Phosphorus (total)	Quarterly	24.3	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Potassium	Quarterly	440	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Redox Potential	Quarterly	46.6	mV	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Sodium	Quarterly	6140	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Sulfate	Quarterly	<100	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Total Dissolved Solids	Quarterly	5930	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Total Organic Carbon	Quarterly	20	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	44 - L12	1	Zinc	Quarterly	0.101	mg/L	NA	NA	
-	-	52 - A58L1	1	Adsorbable Organic Halogens	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Alkalinity (as calcium Carbonate)	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Aluminium	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Arsenic	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Barium	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Bicarbonate	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Biological oxygen Demand	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Cadmium	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Calcium	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Chloride	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Chromium	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Conductivity	Quarterly	-	µS/cm	NA	NA	
-	-	52 - A58L1	1	Copper	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Dissolved Oxygen	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Fluoride	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Lead	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Magnesium	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Manganese	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Mercury	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Nitrate	Quarterly	-	mg/L	NA	NA	
-	-	52 - A58L1	1	Nitrite	Quarterly	-	mg/L	NA	NA	

No leachate available for sampling - sampling was attempted several times throughout the monitoring period.



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
-	-	52 - A5BL1	1	Nitrogen (ammonia)	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Nitrogen (Total)	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	pH	Quarterly	-	pH Unit	NA	NA	
-	-	52 - A5BL1	1	Phosphorus (total)	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Potassium	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Redox Potential	Quarterly	-	mV	NA	NA	
-	-	52 - A5BL1	1	Sodium	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Sulfate	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Total Dissolved Solids	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Total Organic Carbon	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Total Phenolics	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Zinc	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Organotin MBT	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Organotin DBT	Quarterly	-	mg/L	NA	NA	
-	-	52 - A5BL1	1	Organotin TBT	Quarterly	-	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Adsorbable Organic Halogens	Quarterly	0.63	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Alkalinity (as calcium Carbonate)	Quarterly	3720	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Aluminium	Quarterly	0.42	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Arsenic	Quarterly	0.034	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Barium	Quarterly	0.428	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Bicarbonate	Quarterly	3720	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Biological oxygen Demand	Quarterly	48	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Calcium	Quarterly	159	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Chloride	Quarterly	1370	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Chromium	Quarterly	0.226	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Conductivity	Quarterly	10.1	µS/cm	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Copper	Quarterly	0.009	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Dissolved Oxygen	Quarterly	4	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Fluoride	Quarterly	0.6	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Lead	Quarterly	0.001	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Magnesium	Quarterly	95	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Manganese	Quarterly	0.744	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	55 - L13	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Nitrogen (ammonia)	Quarterly	337	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Nitrogen (Total)	Quarterly	434	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	pH	Quarterly	7.92	pH Unit	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Phosphorus (total)	Quarterly	4.88	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Potassium	Quarterly	197	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Redox Potential	Quarterly	50.8	mV	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Sodium	Quarterly	1450	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Sulfate	Quarterly	<10	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Total Dissolved Solids	Quarterly	5820	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Total Organic Carbon	Quarterly	309	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	55 - L13	1	Zinc	Quarterly	0.057	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Adsorbable Organic Halogens	Quarterly	1.2	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Alkalinity (as calcium Carbonate)	Quarterly	3780	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Aluminium	Quarterly	0.43	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Arsenic	Quarterly	0.042	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Barium	Quarterly	0.464	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Bicarbonate	Quarterly	3780	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Biological oxygen Demand	Quarterly	43	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Calcium	Quarterly	152	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Chloride	Quarterly	1590	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Chromium	Quarterly	0.233	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Conductivity	Quarterly	11	µS/cm	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Copper	Quarterly	0.002	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Dissolved Oxygen	Quarterly	3.1	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Fluoride	Quarterly	0.7	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Lead	Quarterly	<0.001	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Magnesium	Quarterly	109	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Manganese	Quarterly	0.715	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	62 - F4	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Nitrogen (ammonia)	Quarterly	332	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Nitrogen (Total)	Quarterly	484	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	pH	Quarterly	7.94	pH Unit	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Phosphorus (total)	Quarterly	4.25	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Potassium	Quarterly	214	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Redox Potential	Quarterly	56	mV	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Sodium	Quarterly	1860	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Sulfate	Quarterly	<10	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Total Dissolved Solids	Quarterly	14600	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Total Organic Carbon	Quarterly	336	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	62 - F4	1	Zinc	Quarterly	0.044	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Adsorbable Organic Halogens	Quarterly	4.6	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Alkalinity (as calcium Carbonate)	Quarterly	2440	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Aluminium	Quarterly	0.04	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Arsenic	Quarterly	0.079	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Barium	Quarterly	1.57	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Bicarbonate	Quarterly	2440	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Biological oxygen Demand	Quarterly	80	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Cadmium	Quarterly	<0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Calcium	Quarterly	317	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Chloride	Quarterly	7260	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Chromium	Quarterly	0.027	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Conductivity	Quarterly	24	µS/cm	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Copper	Quarterly	<0.001	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Dissolved Oxygen	Quarterly	2.2	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Fluoride	Quarterly	2.3	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Lead	Quarterly	<0.001	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Magnesium	Quarterly	262	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Manganese	Quarterly	1.19	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Mercury	Quarterly	<0.0001	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Nitrate	Quarterly	<0.10	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Nitrite	Quarterly	<0.01	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environment Protection Licence Number: **4068**

Licensee Name: **Cleanaway**

Facility Address: **1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178**

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Period - January 2023 - March 2023

Date Monitoring Data Obtained	Date Monitoring Undertaken	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
25/03/2024	12/03/2024	A67L1	1	Nitrogen (ammonia)	Quarterly	178	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Nitrogen (Total)	Quarterly	238	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	pH	Quarterly	7.82	pH Unit	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Phosphorus (total)	Quarterly	5.58	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Potassium	Quarterly	510	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Redox Potential	Quarterly	64	mV	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Sodium	Quarterly	4600	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Sulfate	Quarterly	266	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Total Dissolved Solids	Quarterly	5660	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Total Organic Carbon	Quarterly	319	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Total Phenolics	Quarterly	<1.00	mg/L	NA	NA	
25/03/2024	12/03/2024	A67L1	1	Zinc	Quarterly	0.012	mg/L	NA	NA	