



## Pollutant Monitoring Results - Dust

EPL No:	4865
Entity Name	Enviroguard Pty Ltd
Site:	4 Quarry Road, Erskine Park NSW
Monitoring Frequency:	Quarterly
Link to NSW EPA Register:	<a href="#">Click Here</a>

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)

	Ash Content	Ash Content (mg)	Combustible Matter	Combustible Matter (mg)	Total Soluble Matter	Total Soluble Matter (mg)	Total Insoluble Matter	Total Insoluble Matter (mg)	Total Solids	Total Solids (mg)
	g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg
D1 (EPA ID 3)	30-Oct-22	0.4	6	0.2	3	2	32	0.6	9	2.6
	01-Dec-22	1.1	25	0.4	2	0.1	2	1.5	32	1.5
	03-Jan-23	0.6	12	0.1	2	0.3	5	0.7	13	1
	30-Jan-23	0.9	14	0.3	5	1.1	18	1.2	1.9	2.3
	10-Mar-23	0.3	12	0.2	9	0.4	18	0.5	21	0.9
	03-Apr-23	0.6	9	0.5	7	0.1	2	1.1	16	1.1
	01-May-23	0.6	10	0.2	3	0.8	2	0.8	13	0.8
	01-Jun-23	0.3	5	0.1	2	0.2	3	0.3	5	0.5
	29-Jun-23	0.2	3	0.2	3	0.3	5	0.4	6	0.7
	28-Jul-23	0.1	2	0.1	3	0.2	4	0.2	4	0.4
	29-Aug-23	0.7	13	0.1	2	1.9	37	0.8	15	2.7
	29-Sep-23	0.9	17	0.2	3	0.3	6	1.1	20	1.4
	Number of Samples Required	12	12	12	12	12	12	12	12	12
	Number of Samples Collected	12	12	12	12	12	12	12	12	12
	Min	0.1	2	0.1	2	0.1	2	0.2	1.9	0.4
	Max	1.1	25	0.5	9	2	37	1.5	32	2.7
	Avg	0.56	10.67	0.22	3.67	0.64	11.17	0.77	12.99	1.33
D2 (EPA ID 4)	30-Oct-22	0.2	3	0.1	2	2.8	44	0.3	5	3.1
	01-Dec-22	1.8	40	0.2	2	0.1	2	2	44	2
	03-Jan-23	0.5	10	0.3	6	0.1	2	0.8	16	0.9
	30-Jan-23	0.4	7	0.3	4	1.3	20	0.7	11	2
	10-Mar-23	0.2	8	0.3	12	0.7	26	0.5	20	1.2
	03-Apr-23	0.5	7	0.3	5	3	42	0.8	12	3.8
	01-May-23	0.3	5	0.3	5	0.6	40	0.6	10	3
	01-Jun-23	0.3	6	0.2	3	0.2	4	0.5	9	0.7
	29-Jun-23	0.8	13	0.3	5	0.1	2	1.1	18	1.2
	28-Jul-23	0.4	7	0.1	2	2.7	47	0.5	9	3.2
	29-Aug-23	0.6	11	0.1	3	1.9	36	0.7	14	2.6
	29-Sep-23	0.8	15	0.3	5	0.1	2	1.1	20	1.1
	Number of Samples Required	12	12	12	12	12	12	12	12	12
	Number of Samples Collected	12	12	12	12	12	12	12	12	12
	Min	0.2	3	0.1	2	0.1	2	0.3	5	0.7
	Max	1.8	40	0.3	12	3	47	2	44	3.8
	Avg	0.57	11.00	0.23	4.50	1.13	22.25	0.80	15.67	2.07
D4 (EPA ID 6)	30-Oct-22	0.4	6	0.1	2	0.1	2	0.5	8	0.5
	01-Dec-22	0.9	19	0.1	6	0.3	6	0.9	20	1.2
	03-Jan-23	1	19	0.1	2	0.6	13	1	20	1.6
	30-Jan-23	2.3	36	0.7	12	1.1	17	3	48	0.1
	10-Mar-23	0.6	23	0.2	10	0.1	6	0.8	33	0.9
	03-Apr-23	0.8	11	0.5	8	3.2	45	1.3	19	4.5
	01-May-23	0.5	8	0.5	8	1	49	1	16	4
	01-Jun-23	0.6	11	0.3	5	0.6	11	0.9	16	1.5
	29-Jun-23	0.7	12	0.3	5	0.1	2	1	17	1
	28-Jul-23	0.2	4	0.2	2	0.1	2	0.4	6	0.4

		Ash Content	Ash Content (mg)	Combustible Matter	Combustible Matter (mg)	Total Soluble Matter	Total Soluble Matter (mg)	Total Insoluble Matter	Total Insoluble Matter (mg)	Total Solids	Total Solids (mg)
		g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg
D6 (EPA ID 8)	29-Aug-23	1.1	20	0.3	6	2.4	45	1.4	26	3.8	71
	29-Sep-23	2.1	38	0.4	7	0.1	2	2.5	45	2.5	45
	Number of Samples Required	12	12	12	12	12	12	12	12	12	12
	Number of Samples Collected	12	12	12	12	12	12	12	12	12	12
	Min	0.2	4	0.1	2	0.1	2	0.4	6	0.1	6
	Max	2.3	38	0.7	12	3.2	49	3	48	4.5	71
	Avg	0.93	17.25	0.31	6.08	0.81	16.67	1.23	22.83	1.83	38.83
	30-Oct-22	1.1	17	0.3	5	2.3	36	1.4	22	3.7	58
	01-Dec-22	1.5	33	0.3	7	0.3	7	1.8	40	2.1	47
	03-Jan-23	1	20	0.3	6	2	39	1.3	26	3.3	65
	30-Jan-23	1.6	26	0.4	6	1	16	2	32	3	48
	10-Mar-23	0.8	33	0.3	13	0.4	15	1.1	46	1.5	61
	03-Apr-23	0.9	13	0.5	6	3.6	50	1.3	19	4.9	69
	01-May-23	0.1	2	0.2	3	0.2	12	0.2	3	0.9	15
	01-Jun-23	0.4	7	0.1	2	0.1	2	0.5	9	0.6	11
	29-Jun-23	0.3	5	0.1	2	0.6	9	0.4	7	1	16
	28-Jul-23	0.1	2	0.1	2	0.1	2	0.2	4	0.3	6
	29-Aug-23	0.4	7	0.1	3	0.2	3	0.5	10	0.7	13
	29-Sep-23	0.5	10	0.1	2	0.3	6	0.5	10	0.8	16
	Number of Samples Required	12	12	12	12	12	12	12	12	12	12
	Number of Samples Collected	12	12	12	12	12	12	12	12	12	12
	Min	0.1	2	0.1	2	0.1	2	0.2	3	0.3	6
	Max	1.6	33	0.5	13	3.6	50	2	46	4.9	69
	Avg	0.73	14.58	0.23	4.75	0.93	16.42	0.93	19.00	1.90	35.42
D7 (EPA ID 7)	30-Oct-22	1.7	18	2	32	0.1	2	1.7	25	1.7	25
	01-Dec-22	1.9	41	0.1	4	0.2	4	2	44	2.2	48
	03-Jan-23	0.6	12	0.2	4	0.7	13	0.8	16	1.5	29
	30-Jan-23	0.8	13	0.1	2	1.5	23	0.8	13	2.3	36
	10-Mar-23	0.7	27	0.2	11	0.5	21	0.9	38	1.4	59
	03-Apr-23	0.6	8	0.4	7	3.2	45	1.1	15	4.3	60
	01-May-23	0.7	12	0.3	4	1	46	1	16	3.8	62
	01-Jun-23	0.4	7	0.1	2	0.2	4	0.5	9	0.7	13
	29-Jun-23	0.4	6	0.1	2	0.2	4	0.4	7	0.6	11
	28-Jul-23	0.2	3	0.2	4	0.1	2	0.4	7	0.4	7
	29-Aug-23	0.6	11	0.2	4	1.9	35	0.8	15	2.7	50
	29-Sep-23	0.9	17	0.1	2	0.2	4	0.9	17	1.1	21
	Number of Samples Required	12	12	12	12	12	12	12	12	12	12
	Number of Samples Collected	12	12	12	12	12	12	12	12	12	12
	Min	0.2	3	0.1	2	0.1	2	0.4	7	0.4	7
	Max	1.9	41	2	32	3.2	46	2	44	4.3	62
	Avg	0.79	14.58	0.33	6.50	0.82	16.92	0.94	18.50	1.89	35.08
D8 (EPA ID 5)	30-Oct-22	0.7	11	0.4	6	3.1	49	1.1	17	4.2	66
	01-Dec-22	0.2	4	0.1	2	2.1	45	0.2	4	2.3	49
	03-Jan-23	0.8	16	0.2	3	0.1	2	1	19	1	19
	30-Jan-23	0.4	6	0.1	2	1.9	30	0.4	7	2.3	37
	10-Mar-23	0.5	20	0.2	8	0.4	18	0.7	28	1.1	46
	03-Apr-23	0.1	2	0.2	3	1.6	22	0.2	3	1.8	25
	01-May-23	0.1	2	0.2	3	0.2	2	0.2	3	0.2	3
	01-Jun-23	0.1	2	0.5	9	2.1	39	0.5	9	2.6	48
	29-Jun-23	0.1	2	0.1	2	2.9	47	0.1	2	2.9	47
	28-Jul-23	0.1	2	0.1	3	2.3	39	0.2	4	2.5	43
	29-Aug-23	0.1	2	0.1	2	1.6	30	0.1	2	1.6	30
	29-Sep-23	0.5	10	0.1	10	0.2	4	0.6	11	0.8	15

		Ash Content	Ash Content (mg)	Combustible Matter	Combustible Matter (mg)	Total Soluble Matter	Total Soluble Matter (mg)	Total Insoluble Matter	Total Insoluble Matter (mg)	Total Solids	Total Solids (mg)
		g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg	g / m^2 . Month	mg
	Number of Samples Required	12	12	12	12	12	12	12	12	12	12
	Number of Samples Collected	12	12	12	12	12	12	12	12	12	12
	Min	0.1	2	0.1	2	0.1	2	0.1	2	0.2	3
	Max	0.8	20	0.5	10	3.1	49	1.1	28	4.2	66
	Avg	0.31	6.58	0.19	4.42	1.54	27.25	0.44	9.08	1.94	35.67