



### Pollutant Monitoring Results - Dust

EPL No:	4068
Entity Name:	Elizabeth Drive Landfill
Site:	1725 Elizabeth Drive, KEMPS CREEK, NSW, 2178
Monitoring Frequency:	Quarterly
Link to NSW EPA Register:	<a href="#">Click Here</a>

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)

Location Name	EPA Monitoring Point No.	Pollutant	Unit of measure	Frequency	Q1			Q2			Q3			Q4			No. of samples required by licence	No. of samples collected and analysed	Lowest Sample Value	Mean Sample Value	Highest Sample Value	Comments
					21/12/23 - 22/01/24	22/01/24 - 21/02/24	21/02/24 - 22/03/24	22/03/24 - 19/04/24	19/04/24 - 21/05/24	21/05/24 - 21/06/24	21/6/2024 - 19/7/2024	19/7/2024 - 20/8/2024	-	-	-	-						
D5	4	Total Insoluble Matter	g/m2.mth	Quarterly	1.1	3.5	2.7	2.4	0.9	0.8	0.7	0.8				4	8	0.7	1.61	3.5		
D6	5	Total Insoluble Matter	g/m2.mth	Quarterly	1.3	1.8	3.4	3.6	3.7	1.4	0.3	0.8				4	8	0.3	2.04	3.7		
D8	6	Total Insoluble Matter	g/m2.mth	Quarterly	2.1	2.8	6.3	1.6	4.2	1.9	0.7	1.6				4	8	0.7	2.65	6.3		
D10	7	Total Insoluble Matter	g/m2.mth	Quarterly	1.7	2.5	4	2	1.7	0.9	0.8	1				4	8	0.8	1.83	4		
D17	8	Total Insoluble Matter	g/m2.mth	Quarterly	1.2	2.8	3.5	3.3	1.4	1.3	1.3	3.8				4	8	1.2	2.33	3.8		
D20	9	Total Insoluble Matter	g/m2.mth	Quarterly	2.8	3	4.7	6.2	1.7	1.1	0.2	0.5				4	8	0.2	2.53	6.2		
D21	10	Total Insoluble Matter	g/m2.mth	Quarterly	0.5	1.6	0.9	1.2	0.7	0.5	0.1	0.2				4	8	0.1	0.71	1.6		

**Note:**  
 - "-" - Monitoring data not available yet, monitoring yet to be conducted.