EPL No:	4865
Entitiy Name	Enviroguard Pty Ltd
Site:	4 Quarry Road, Erskine Park NSW
Monitoring Frequency:	Quarterly
Link to NSW EPA Register:	Click Here

Pollutant Monitoring Results - Groundwater

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

	Date Uploaded	Date Monitoring Date Received	Monitoring Date	pH (Field) pH units	Electrical Conductivity uS/cm	Standing water level mbTOC	Total Dissolved Solids mg/L	Total Organic Carbon (TOC) mg/L	Aluminium mg/L	Arsenic mg/L	Barium mg/L	Cadmium mg/L	Calcium mg/L	Total Chromium mg/L	Cobalt mg/L	Copper mg/L	Lead mg/L	Magnesium mg/L	Manganese mg/L	Zinc mg/L	Mercury mg/L	Hexavalent Chromium mg/L	Potassium mg/L	Sodium mg/L	Alkalinity (as CaCO3) mg/L	Ammonia (as N) mg/L	Chloride mg/L	Total Phenolics mg/L	Fluoride mg/L	Nitrate mg/L	Nitrite mg/L	Sulphate mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	Organochlorine Pesticides mg/L	Organophosphate Pesticides mg/L	Total Petroleum Hydrocarbons mg/L	PAHs mg/L	Polychlorinated byphenols ug/L
BH1B (EPA ID 9)	5/02/2025	22/01/2025	29-Nov-24	6.62	11414	24.274	6,900	3.5	-	-	-	-	180	-	-	-	-	170	-	-	-	-	46	1,900	1,000	5.6	3,600	-	-	-	-	2.8	1.1	-	-	-	-	-	-	-	-
	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1
	Samples Collected			1	1	1	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	1	1	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0
	Min			6.62	11414	24.274	6900	3.5	0	0	0	0	180	0	0	0	0	170	0	0	0	0	46	1900	1000	5.6	3600	0	0	0	0	2.8	1.1	0	0	0	0	0	0	0	0
	Max			6.62	11414	24.274	6900	3.5	0	0	0	0	180	0	0	0	0	170	0	0	0	0	46	1900	1000	5.6	3600	0	0	0	0	2.8	1.1	0	0	0	0	0	0	0	0
	Avg			6.62	11414	24.274	6900	3.5	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	180	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	170	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	46	1900	1000	5.6	3600	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	2.8	1.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
BH15A (EPA ID 10)	5/02/2025	22/01/2025	29-Nov-24	6.65	10059	11.228	6,200	1.1	-	-	-	-	290	-	-	-	-	69	-	-	-	-	41	1,800	1,100	9.1	3,200	-	-	-	-	2.3	-	-	-	-	-	-	-	-	-
	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1
	Samples Collected			1	1	1	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	1	1	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Min			6.65	10059	11.228	6200	1.1	0	0	0	0	290	0	0	0	0	69	0	0	0	0	41	1800	1100	9.1	3200	0	0.00	0	0	2.3	0	0	0	0	0	0	0	0	0
	Max			6.65	10059	11.228	6200	1.1	0	0	0	0	290	0	0	0	0	69	0	0	0	0	41	1800	1100	9.1	3200	0	0.00	0	0	2.3	0	0	0	0	0	0	0	0	0
	Avg			6.65	10059	11.228	6200	1.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	290	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	69	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	41	1,800	1100	9.1	3200	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	2.3	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
BH15B (EPA ID 11)	5/02/2025	22/01/2025	29-Nov-24	6.7	15797	12.097	11,000	0.9	-	-	-	-	400	-	-	-	-	160	-	-	-	-	79	2,700	1,100	7.8	5,400	-	-	-	-	3.8	-	-	-	-	-	-	-	-	-
	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1
	Samples Collected			1	1	1	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	1	1	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Min			6.7	15797	12.097	11000	0.9	0	0	0	0	400	0	0	0	0	160	0	0	0	0	79	2700	1100	7.8	5400	0	0.00	0	0	3.8	0	0	0	0	0	0	0	0	0
	Max			6.7	15797	12.097	11000	0.9	0	0	0	0	400	0	0	0	0	160	0	0	0	0	79	2700	1100	7.8	5400	0	0.00	0	0	3.8	0	0	0	0	0	0	0	0	0
	Avg			6.7	15797	12.097	11000	0.9	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	400	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	160	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	79	2700	1100	7.8	5400	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	3.8	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
BH16A (EPA ID 12)	5/02/2025	22/01/2025	27-Nov-24	6.74	3973	16.256	2500	8.1	-	-	-	-	150	-	-	-	-	120	-	-	-	-	39	360	200	0.19	1,100	-	-	-	-	42	-	-	-	-	-	-	-	-	-
	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1
	Samples Collected			1	1	1	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	1	1	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Min			6.74	3973	16.256	2500	8.1	0	0	0	0	150	0	0	0	0	120	0	0	0	0	39	360	200	0.19	1100	0	0.00	0	0	42	0	0	0	0	0	0	0	0	0
	Max			6.74	3973	16.256	2500	8.1	0	0	0	0	150	0	0	0	0	120	0	0	0	0	39	360	200	0.19	1100	0	0.00	0	0	42	0	0	0	0	0	0	0	0	0
	Avg			6.74	3973	16.256	2500	8.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	150	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	120	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	39	360	200	0.19	1100	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	42	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
BH16B (EPA ID 13)	5/02/2025	22/01/2025	27-Nov-24	6.54	1807	16.717	1,600	2.4	-	-	-	-	260	-	-	-	-	2.7	-	-	-	-	6.1	120	150	0.19	570	-	-	-	-	1.1	-	-	-	-	-	-	-	-	-
	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1
	Samples Collected			0	1	1	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	1	1	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Min			0	1807	16.717	1600	2.4	0	0	0	0	260	0	0	0	0	2.7	0	0	0	0	6.1	120	150	0.19	570	0	0.00	0	0	1.1	0	0	0	0	0	0	0	0	0
	Max			0	1807	16.717	1600	2.4	0	0	0	0	260	0	0	0	0	2.7	0	0	0	0	6.1	120	150	0.19	570	0	0.00	0	0	1.1	0	0	0	0	0	0	0	0	0
	Avg			#DIV/0!	1807	16.717	1600	2.4	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	260	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	2.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	6.1	120	150	0.19	570	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	1.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
BH17E (EPA ID 14)	5/02/2025	22/01/2025	27-Nov-24	6.89	2375	9.505	1,100	1.6	-	-	-	-	54	-	-	-	-	61	-	-	-	-	14	280	990	1.5	77	-	-	-	-	30	-	-	-	-	-	-	-	-	-
	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1
	Samples Collected			1	1	1	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	1	1	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Min			6.89	2375	9.505	1100	1.6	0	0	0	0	54	0	0	0	0	61	0	0	0	0	14	280	990	1.5	77	0	0.00	0	0	30	0	0	0	0	0	0	0	0	0
	Max			6.89	2375	9.505	1100	1.6	0	0	0	0	54	0	0	0	0	61	0	0	0	0	14	280	990	1.5	77	0	0.00	0	0	30	0	0	0	0	0	0	0	0	0
	Avg			6.89	2375	9.505	1100	1.6	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	54	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	61	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	14	280	990	1.5	77	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	30	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
BH17D (EPA ID 15)	5/02/2025	22/01/2025	27-Nov-24	Blocked at 6.3m					-	-	-	-		-	-	-	-		-	-	-	-						-	-	-	-		-	-	-	-	-	-	-	-	-
	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1
	Samples Collected			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Min			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
	Max			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
	Avg			#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!