

Pollutant Monitoring Results - Groundwater



EPL No:	4068
Entity Name:	Elizabeth Drive Landfill
Site:	1725 Elizabeth Drive,KEMPS CREEK, NSW, 2178
Monitoring Frequency:	Quarterly
Link to NSW EPA Register:	Click Here

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Location Name	EPA Monitoring Point No.	Pollutant	Unit of measure	Frequency	EPL Limit	20/03/2025				Exceedance (Y/N)	No. of samples required by licence	No. of samples collected and analysed	Lowest Sample Value	Mean Sample Value	Highest Sample Value	Comments
G1a	16	Alkalinity (as calcium carbonate)	mg/L	6 Monthly	n/a	1200				n/a	2	1	1200	1200	1200	
	16	Aluminium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	16	Arsenic	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	16	Barium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	16	Benzene	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	16	Cadmium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	16	Calcium	mg/L	6 Monthly	n/a	67				n/a	2	1	67	67	67	
	16	Chloride	mg/L	6 Monthly	n/a	2200				n/a	2	1	2200	2200	2200	
	16	Chromium	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	16	Conductivity	µS/cm	6 Monthly	n/a	8748				n/a	2	1	8748	8748	8748	
	16	Copper	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	16	Dissolved Oxygen	mg/L	6 Monthly	n/a	2.14				n/a	2	1	2	2	2	
	16	Fluoride	mg/L	6 Monthly	n/a	0.5				n/a	2	1	1	1	1	
	16	Iron	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	16	Lead	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	16	Magnesium	mg/L	6 Monthly	n/a	210				n/a	2	1	210	210	210	
	16	Manganese	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	16	Mercury	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	16	Nickel	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	16	Nitrate	mg/L	6 Monthly	n/a	0.03				n/a	2	1	0	0	0	
	16	Nitrite	mg/L	6 Monthly	n/a	0.026				n/a	2	1	0	0	0	
	16	Nitrogen (ammonia)	mg/L	Quarterly	15	0.56				N	4	1	1	1	1	
	16	Nitrogen (Total)	mg/L	6 Monthly	n/a	0.9				n/a	2	1	1	1	1	
	16	pH	pH Unit	6 Monthly	n/a	6.95				n/a	2	1	7	7	7	
	16	Phenols	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	16	Phosphorus (Total)	mg/L	6 Monthly	n/a	5				n/a	2	1	5	5	5	
	16	Polycyclic Aromatic Hydrocarbons	mg/L	6 Monthly	n/a	<0.1				n/a	2	1	<0.1	<0.1	<0.1	
	16	Potassium	mg/L	6 Monthly	n/a	11				n/a	2	1	11	11	11	
	16	Redox potential	mV	6 Monthly	n/a	-31.4				n/a	2	1	-31	-31	-31	
	16	Selenium	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	16	Silver	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	16	Sodium	mg/L	6 Monthly	n/a	1300				n/a	2	1	1300	1300	1300	
	16	Standing Water Level	Metres	Quarterly	n/a	17.05				n/a	4	1	17	17	17	
	16	Sulfate	mg/L	6 Monthly	n/a	500				n/a	2	1	500	500	500	
	16	Total organic carbon	mg/L	Quarterly	n/a	3				n/a	4	1	3	3	3	
	16	Total Petroleum Hydrocarbons	mg/L	6 Monthly	n/a					n/a	2	0	0	#DIV/0!	0	
	16	Zinc	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
G3a	17	Alkalinity (as calcium carbonate)	mg/L	6 Monthly	n/a	920				n/a	2	1	920	920	920	
	17	Aluminium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	17	Arsenic	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	17	Barium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	17	Benzene	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	17	Cadmium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	17	Calcium	mg/L	6 Monthly	n/a	360				n/a	2	1	360	360	360	
	17	Chloride	mg/L	6 Monthly	n/a	6400				n/a	2	1	6400	6400	6400	
	17	Chromium	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	17	Conductivity	µS/cm	6 Monthly	n/a	17465				n/a	2	1	17465	17465	17465	
	17	Copper	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	17	Dissolved Oxygen	mg/L	6 Monthly	n/a	0.94				n/a	2	1	1	1	1	
	17	Fluoride	mg/L	6 Monthly	n/a	0.2				n/a	2	1	0	0	0	
	17	Iron	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	17	Lead	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	17	Magnesium	mg/L	6 Monthly	n/a	310				n/a	2	1	310	310	310	
	17	Manganese	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	17	Mercury	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	17	Nickel	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	

Location Name	EPA Monitoring Point No.	Pollutant	Unit of measure	Frequency	EPL Limit	20/03/2025				Exceedance (Y/N)	No. of samples required by licence	No. of samples collected and analysed	Lowest Sample Value	Mean Sample Value	Highest Sample Value	Comments
	17	Nitrate	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	17	Nitrite	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	17	Nitrogen (ammonia)	mg/L	Quarterly	15	6.8				N	4	1	7	7	7	
	17	Nitrogen (Total)	mg/L	6 Monthly	n/a	9.2				n/a	2	1	9	9	9	
	17	pH	pH Unit	6 Monthly	n/a	6.8				n/a	2	1	7	7	7	
	17	Phenols	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	17	Phosphorus (Total)	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	17	Polycyclic Aromatic Hydrocarbons	mg/L	6 Monthly	n/a	0.14				n/a	2	1	0	0	0	
	17	Potassium	mg/L	6 Monthly	n/a	62				n/a	2	1	62	62	62	
	17	Redox potential	mV	6 Monthly	n/a	-131.9				n/a	2	1	-132	-132	-132	
	17	Selenium	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	17	Silver	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	17	Sodium	mg/L	6 Monthly	n/a	2700				n/a	2	1	2700	2700	2700	
	17	Standing Water Level	Metres	Quarterly	n/a	0.84				n/a	4	1	1	1	1	
	17	Sulfate	mg/L	6 Monthly	n/a	5				n/a	2	1	5	5	5	
	17	Total organic carbon	mg/L	Quarterly	n/a	4				n/a	4	1	4	4	4	
	17	Total Petroleum Hydrocarbons	mg/L	6 Monthly	n/a	<0.01				n/a	2	1	<0.01	<0.01	<0.01	
	17	Zinc	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
G4a	18	Alkalinity (as calcium carbonate)	mg/L	6 Monthly	n/a	860				n/a	2	1	860	860	860	
	18	Aluminium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	18	Arsenic	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	18	Barium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	18	Benzene	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	18	Cadmium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	18	Calcium	mg/L	6 Monthly	n/a	260				n/a	2	1	260	260	260	
	18	Chloride	mg/L	6 Monthly	n/a	9300				n/a	2	1	9300	9300	9300	
	18	Chromium	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	18	Conductivity	µS/cm	6 Monthly	n/a	25606				n/a	2	1	25606	25606	25606	
	18	Copper	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	18	Dissolved Oxygen	mg/L	6 Monthly	n/a	1.02				n/a	2	1	1	1	1	
	18	Fluoride	mg/L	6 Monthly	n/a	0.5				n/a	2	1	1	1	1	
	18	Iron	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	18	Lead	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	18	Magnesium	mg/L	6 Monthly	n/a	720				n/a	2	1	720	720	720	
	18	Manganese	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	18	Mercury	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	18	Nickel	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	18	Nitrate	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	18	Nitrite	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	18	Nitrogen (ammonia)	mg/L	Quarterly	15	3.3				N	4	1	3	3	3	
	18	Nitrogen (Total)	mg/L	6 Monthly	n/a	4.1				n/a	2	1	4	4	4	
	18	pH	pH Unit	6 Monthly	n/a	6.68				n/a	2	1	7	7	7	
	18	Phenols	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	18	Phosphorus (Total)	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	18	Polycyclic Aromatic Hydrocarbons	mg/L	6 Monthly	n/a	<0.1				n/a	2	1	<0.1	<0.1	<0.1	
	18	Potassium	mg/L	6 Monthly	n/a	50				n/a	2	1	50	50	50	
	18	Redox potential	mV	6 Monthly	n/a	-82.1				n/a	2	1	-82	-82	-82	
	18	Selenium	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	18	Silver	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	18	Sodium	mg/L	6 Monthly	n/a	4400				n/a	2	1	4400	4400	4400	
	18	Standing Water Level	Metres	Quarterly	n/a	0.37				n/a	4	1	0	0	0	
	18	Sulfate	mg/L	6 Monthly	n/a	710				n/a	2	1	710	710	710	
	18	Total organic carbon	mg/L	Quarterly	n/a	1				n/a	4	1	1	1	1	
	18	Total Petroleum Hydrocarbons	mg/L	6 Monthly	n/a	<0.01				n/a	2	1	<0.01	<0.01	<0.01	
	18	Zinc	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	19	Alkalinity (as calcium carbonate)	mg/L	6 Monthly	n/a	750				n/a	2	1	750	750	750	
	19	Aluminium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	19	Arsenic	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	19	Barium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	19	Benzene	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	19	Cadmium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	19	Calcium	mg/L	6 Monthly	n/a	79				n/a	2	1	79	79	79	
	19	Chloride	mg/L	6 Monthly	n/a	3800				n/a	2	1	3800	3800	3800	
	19	Chromium	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	19	Conductivity	µS/cm	6 Monthly	n/a	12554				n/a	2	1	12554	12554	12554	
	19	Copper	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	19	Dissolved Oxygen	mg/L	6 Monthly	n/a	3.91				n/a	2	1	4	4	4	
	19	Fluoride	mg/L	6 Monthly	n/a	0.4				n/a	2	1	0	0	0	
	19	Iron	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	19	Lead	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	

Location Name	EPA Monitoring Point No.	Pollutant	Unit of measure	Frequency	EPL Limit	20/03/2025				Exceedance (Y/N)	No. of samples required by licence	No. of samples collected and analysed	Lowest Sample Value	Mean Sample Value	Highest Sample Value	Comments
G5	19	Magnesium	mg/L	6 Monthly	n/a	220				n/a	2	1	220	220	220	
	19	Manganese	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	19	Mercury	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	19	Nickel	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	19	Nitrate	mg/L	6 Monthly	n/a	0.21				n/a	2	1	0	0	0	
	19	Nitrite	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	19	Nitrogen (ammonia)	mg/L	Quarterly	15	0.074				N	4	1	0	0	0	
	19	Nitrogen (Total)	mg/L	6 Monthly	n/a	0.5				n/a	2	1	1	1	1	
	19	pH	pH Unit	6 Monthly	n/a	7.31				n/a	2	1	7	7	7	
	19	Phenols	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	19	Phosphorus (Total)	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	19	Polycyclic Aromatic Hydrocarbons	mg/L	6 Monthly	n/a	<0.1				n/a	2	1	<0.1	<0.1	<0.1	
	19	Potassium	mg/L	6 Monthly	n/a	8.4				n/a	2	1	8	8	8	
	19	Redox potential	mV	6 Monthly	n/a	9.4				n/a	2	1	9	9	9	
	19	Selenium	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	19	Silver	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	19	Sodium	mg/L	6 Monthly	n/a	2200				n/a	2	1	2200	2200	2200	
	19	Standing Water Level	Metres	Quarterly	n/a	12.11				n/a	4	1	12	12	12	
	19	Sulfate	mg/L	6 Monthly	n/a	700				n/a	2	1	700	700	700	
	19	Total organic carbon	mg/L	Quarterly	n/a	5				n/a	4	1	5	5	5	
	19	Total Petroleum Hydrocarbons	mg/L	6 Monthly	n/a	<0.01				n/a	2	1	<0.01	<0.01	<0.01	
	19	Zinc	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
G6	20	Alkalinity (as calcium carbonate)	mg/L	6 Monthly	n/a	390				n/a	2	1	390	390	390	
	20	Aluminium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	20	Arsenic	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	20	Barium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	20	Benzene	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	20	Cadmium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	20	Calcium	mg/L	6 Monthly	n/a	120				n/a	2	1	120	120	120	
	20	Chloride	mg/L	6 Monthly	n/a	4000				n/a	2	1	4000	4000	4000	
	20	Chromium	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	20	Conductivity	µS/cm	6 Monthly	n/a	13348				n/a	2	1	13348	13348	13348	
	20	Copper	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	20	Dissolved Oxygen	mg/L	6 Monthly	n/a	1.92				n/a	2	1	2	2	2	
	20	Fluoride	mg/L	6 Monthly	n/a	0.2				n/a	2	1	0	0	0	
	20	Iron	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	20	Lead	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	20	Magnesium	mg/L	6 Monthly	n/a	240				n/a	2	1	240	240	240	
	20	Manganese	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	20	Mercury	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	20	Nickel	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	20	Nitrate	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	20	Nitrite	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	20	Nitrogen (ammonia)	mg/L	Quarterly	15	0.66				N	4	1	1	1	1	
	20	Nitrogen (Total)	mg/L	6 Monthly	n/a	0.9				n/a	2	1	1	1	1	
	20	pH	pH Unit	6 Monthly	n/a	6.86				n/a	2	1	7	7	7	
	20	Phenols	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	20	Phosphorus (Total)	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	20	Polycyclic Aromatic Hydrocarbons	mg/L	6 Monthly	n/a	<0.1				n/a	2	1	<0.1	<0.1	<0.1	
	20	Potassium	mg/L	6 Monthly	n/a	18				n/a	2	1	18	18	18	
	20	Redox potential	mV	6 Monthly	n/a	-74.8				n/a	2	1	-75	-75	-75	
	20	Selenium	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	20	Silver	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	20	Sodium	mg/L	6 Monthly	n/a	2200				n/a	2	1	2200	2200	2200	
	20	Standing Water Level	Metres	Quarterly	n/a	3.25				n/a	4	1	3	3	3	
	20	Sulfate	mg/L	6 Monthly	n/a	410				n/a	2	1	410	410	410	
	20	Total organic carbon	mg/L	Quarterly	n/a	3				n/a	4	1	3	3	3	
	20	Total Petroleum Hydrocarbons	mg/L	6 Monthly	n/a	<0.01				n/a	2	1	<0.01	<0.01	<0.01	
	20	Zinc	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	21	Alkalinity (as calcium carbonate)	mg/L	6 Monthly	n/a	500				n/a	2	1	500	500	500	
	21	Aluminium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	21	Arsenic	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	21	Barium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	21	Benzene	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	21	Cadmium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	21	Calcium	mg/L	6 Monthly	n/a	260				n/a	2	1	260	260	260	
	21	Chloride	mg/L	6 Monthly	n/a	9200				n/a	2	1	9200	9200	9200	
	21	Chromium	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	21	Conductivity	µS/cm	6 Monthly	n/a	26848				n/a	2	1	26848	26848	26848	
	21	Copper	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	

Location Name	EPA Monitoring Point No.	Pollutant	Unit of measure	Frequency	EPL Limit	20/03/2025				Exceedance (Y/N)	No. of samples required by licence	No. of samples collected and analysed	Lowest Sample Value	Mean Sample Value	Highest Sample Value	Comments
G7	21	Dissolved Oxygen	mg/L	6 Monthly	n/a	1.42				n/a	2	1	1	1	1	
	21	Fluoride	mg/L	6 Monthly	n/a	0.3				n/a	2	1	0	0	0	
	21	Iron	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	21	Lead	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	21	Magnesium	mg/L	6 Monthly	n/a	980				n/a	2	1	980	980	980	
	21	Manganese	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	21	Mercury	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	21	Nickel	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	

Location Name	EPA Monitoring Point No.	Pollutant	Unit of measure	Frequency	EPL Limit	20/03/2025				Exceedance (Y/N)	No. of samples required by licence	No. of samples collected and analysed	Lowest Sample Value	Mean Sample Value	Highest Sample Value	Comments
	21	Nitrate	mg/L	6 Monthly	n/a	0.14				n/a	2	1	0	0	0	
	21	Nitrite	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	21	Nitrogen (ammonia)	mg/L	Quarterly	15	0.92				N	4	1	1	1	1	
	21	Nitrogen (Total)	mg/L	6 Monthly	n/a	0.9				n/a	2	1	1	1	1	
	21	pH	pH Unit	6 Monthly	n/a	6.32				n/a	2	1	6	6	6	
	21	Phenols	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	21	Phosphorus (Total)	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	21	Polycyclic Aromatic Hydrocarbons	mg/L	6 Monthly	n/a	<0.1				n/a	2	1	<0.1	<0.1	<0.1	
	21	Potassium	mg/L	6 Monthly	n/a	18				n/a	2	1	18	18	18	
	21	Redox potential	mV	6 Monthly	n/a	-7.1				n/a	2	1	-7	-7	-7	
	21	Selenium	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	21	Silver	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	21	Sodium	mg/L	6 Monthly	n/a	4300				n/a	2	1	4300	4300	4300	
	21	Standing Water Level	Metres	Quarterly	n/a	9.63				n/a	4	1	10	10	10	
	21	Sulfate	mg/L	6 Monthly	n/a	1200				n/a	2	1	1200	1200	1200	
	21	Total organic carbon	mg/L	Quarterly	n/a	3				n/a	4	1	3	3	3	
	21	Total Petroleum Hydrocarbons	mg/L	6 Monthly	n/a	<0.01				n/a	2	1	<0.01	<0.01	<0.01	
	21	Zinc	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
G9	22	Alkalinity (as calcium carbonate)	mg/L	6 Monthly	n/a	1000				n/a	2	1	1000	1000	1000	
	22	Aluminium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	22	Arsenic	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	22	Barium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	22	Benzene	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	22	Cadmium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	22	Calcium	mg/L	6 Monthly	n/a	290				n/a	2	1	290	290	290	
	22	Chloride	mg/L	6 Monthly	n/a	5000				n/a	2	1	5000	5000	5000	
	22	Chromium	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	22	Conductivity	µS/cm	6 Monthly	n/a	16785				n/a	2	1	16785	16785	16785	
	22	Copper	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	22	Dissolved Oxygen	mg/L	6 Monthly	n/a	3.03				n/a	2	1	3	3	3	
	22	Fluoride	mg/L	6 Monthly	n/a	0.3				n/a	2	1	0	0	0	
	22	Iron	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	22	Lead	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	22	Magnesium	mg/L	6 Monthly	n/a	300				n/a	2	1	300	300	300	
	22	Manganese	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	22	Mercury	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	22	Nickel	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	22	Nitrate	mg/L	6 Monthly	n/a	0.009				n/a	2	1	0	0	0	
	22	Nitrite	mg/L	6 Monthly	n/a	<0.005				n/a	2	1	<0.005	<0.005	<0.005	
	22	Nitrogen (ammonia)	mg/L	Quarterly	15	6.5				N	4	1	7	7	7	
	22	Nitrogen (Total)	mg/L	6 Monthly	n/a	8.1				n/a	2	1	8	8	8	
	22	pH	pH Unit	6 Monthly	n/a	6.74				n/a	2	1	7	7	7	
	22	Phenols	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	22	Phosphorus (Total)	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	22	Polycyclic Aromatic Hydrocarbons	mg/L	6 Monthly	n/a	0.27				n/a	2	1	0	0	0	
	22	Potassium	mg/L	6 Monthly	n/a	53				n/a	2	1	53	53	53	
	22	Redox potential	mV	6 Monthly	n/a	-131				n/a	2	1	-131	-131	-131	
	22	Selenium	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	22	Silver	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	22	Sodium	mg/L	6 Monthly	n/a	2600				n/a	2	1	2600	2600	2600	
	22	Standing Water Level	Metres	Quarterly	n/a	12.91				n/a	4	1	13	13	13	
	22	Sulfate	mg/L	6 Monthly	n/a	<1				n/a	2	1	<1	<1	<1	
	22	Total organic carbon	mg/L	Quarterly	n/a	4				n/a	4	1	4	4	4	
	22	Total Petroleum Hydrocarbons	mg/L	6 Monthly	n/a	<0.01				n/a	2	1	<0.01	<0.01	<0.01	
	22	Zinc	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	54	Alkalinity (as calcium carbonate)	mg/L	6 Monthly	n/a	1200				n/a	2	1	1200	1200	1200	
	54	Aluminium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	54	Arsenic	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	54	Barium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	54	Benzene	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	54	Cadmium	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	54	Calcium	mg/L	6 Monthly	n/a	160				n/a	2	1	160	160	160	
	54	Chloride	mg/L	6 Monthly	n/a	4900				n/a	2	1	4900	4900	4900	
	54	Chromium	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	54	Conductivity	µS/cm	6 Monthly	n/a	15026				n/a	2	1	15026	15026	15026	
	54	Copper	mg/L	Annually	n/a					n/a	1	1	0	#DIV/0!	0	
	54	Dissolved Oxygen	mg/L	6 Monthly	n/a	0.91				n/a	2	1	1	1	1	
	54	Fluoride	mg/L	6 Monthly	n/a	0.5				n/a	2	1	1	1	1	
	54	Iron	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	54	Lead	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	

Location Name	EPA Monitoring Point No.	Pollutant	Unit of measure	Frequency	EPL Limit	20/03/2025				Exceedance (Y/N)	No. of samples required by licence	No. of samples collected and analysed	Lowest Sample Value	Mean Sample Value	Highest Sample Value	Comments
G10	54	Magnesium	mg/L	6 Monthly	n/a	390				n/a	2	1	390	390	390	
	54	Manganese	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	54	Mercury	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	54	Nickel	mg/L	Annually	n/a					n/a	1	0	0	#DIV/0!	0	
	54	Nitrate	mg/L	6 Monthly	n/a	1.6				n/a	2	1	2	2	2	
	54	Nitrite	mg/L	6 Monthly	n/a	0.006				n/a	2	1	0	0	0	
	54	Nitrogen (ammonia)	mg/L	Quarterly	15	0.27				N	4	1	0	0	0	
	54	Nitrogen (Total)	mg/L	6 Monthly	n/a	2.1				n/a	2	1	2	2	2	
	54	pH	pH Unit	6 Monthly	n/a	6.9				n/a	2	1	7	7	7	
	54	Phenols	mg/L	6 Monthly	n/a	<0.05				n/a	2	1	<0.05	<0.05	<0.05	
	54	Phosphorus (Total)	mg/L	6 Monthly	n/a	0.3				n/a	2	1	0	0	0	
	54	Polycyclic Aromatic Hydrocarbons	mg/L	6 Monthly	n/a	0.1				n/a	2	1	0	0	0	
	54	Potassium	mg/L	6 Monthly	n/a	21				n/a	2	1	21	21	21	
	54	Redox potential	mV	6 Monthly	n/a	5.8				n/a	2	1	6	6	6	
	54	Selenium	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	54	Silver	mg/L	6 Monthly	n/a	<0.001				n/a	2	1	<0.001	<0.001	<0.001	
	54	Sodium	mg/L	6 Monthly	n/a	2400				n/a	2	1	2400	2400	2400	
	54	Standing Water Level	Metres	Quarterly	n/a	13.1				n/a	4	1	13	13	13	
	54	Sulfate	mg/L	6 Monthly	n/a	300				n/a	2	1	300	300	300	
	54	Total organic carbon	mg/L	Quarterly	n/a	2				n/a	4	1	2	2	2	
	54	Total Petroleum Hydrocarbons	mg/L	6 Monthly	n/a	<0.01				n/a	2	1	<0.01	<0.01	<0.01	
		54	Zinc	mg/L	Annually	n/a				n/a	1	0	0	#DIV/0!	0	
						Date Monitoring Data Obtained		17/04/2025								
						Date Uploaded		2/05/2025								

Note:
"- " Monitoring data not available yet, monitoring yet to be conducted.
"-* " Analysis was missed during this monitoring event - scheduled for the December 2024 monitoring event.