

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Cleanaway's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Cleanaway. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Date Uploaded	Date Received Date Monitoring Data Reported	Monitoring Date	Dissolved Methane	pH (Field)	Electrical Conductivity uS/cm	Standing water mBTOC	Total Dissolved Solids mg/L	Total Organic Carbon (DOC) mg/L	Aluminum mg/L	Arsenic mg/L	Barium mg/L	Cadmium mg/L	Calcium mg/L	Total Chromium mg/L	Cobalt mg/L	Copper mg/L	Lead mg/L	Magnesium mg/L	Manganese mg/L	Nickel mg/L	Mercury ug/L	Hexavalent Chromium mg/L	Potassium mg/L	Sodium mg/L	Alkalinity as CaCO3 mg/L	Ammonia as Nitrogen mg/L	Chloride mg/L	Total Phenolics	Fluoride	Nitrate mg/L	Nitrite mg/L	Sulfate mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	Organochlorine Pesticides mg/L	Organophosphorus Pesticides mg/L	Total Petroleum Hydrocarbons mg/L	PAHs mg/L	Polychlorinated Biphenyls ug/L								
05-Feb-25	22-Jan-25	29-Nov-24	8.62	11414	24,274	6,900	3.5	-	-	-	-	-	180	-	-	-	-	170	-	-	-	-	-	46	1,900	1,000	5.6	3,600	-	-	-	-	2.8	1.1	-	-	-	-	-	-	-	-	-						
15-May-25	02-May-25	18-Feb-25	6.6	1110	25.32	6800	7.8	-	-	-	-	-	180	-	-	-	-	190	-	-	-	-	-	50	2,000	1,000	7.8	3,600	-	-	-	-	8.6	-	-	-	-	-	-	-	-	-	-	-					
BH18 (EPA ID 10)	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
	Samples Collected			2	2	2	2	2	0	0	0	0	2	0	0	0	0	2	0	0	0	0	2	2	2	2	2	0	0	0	0	2	4	1	1	1	1	1	1	1	1	1	1	1					
	Min			6.6	1110	24,274	6800	3.5	0	0	0	0	180	0	0	0	0	0	170	0	0	0	0	0	46	1900	1000	5.6	3600	0	0	0	0	2.8	1.1	0	0	0	0	0	0	0	0	0	0	0			
	Max			6.62	11414	25.32	6900	7.8	0	0	0	0	200	0	0	0	0	0	190	0	0	0	0	0	50	2000	1000	7.8	3600	0	0	0	0	8.6	1.1	0	0	0	0	0	0	0	0	0	0	0	0		
	Avg			6.65	11109	24,797	6860	4.65	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	180	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	180	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	48	1950	1000	6.7	3600	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	7.9	1.1	0	0	0	0	0	0	0	0	0	0	0				
05-Feb-25	22-Jan-25	29-Nov-24	6.65	10099	11,228	6,200	1.1	-	-	-	-	-	-	-	-	-	-	69	-	-	-	-	-	41	1,800	1,100	9.1	3,200	-	-	-	-	2.3	-	-	-	-	-	-	-	-	-	-	-	-				
15-May-25	02-May-25	18-Feb-25	6.73	6730	12,070	930	1	-	-	-	-	-	210	-	-	-	-	78	-	-	-	-	-	45	1,900	1100	9.5	670	-	-	-	-	5.8	-	-	-	-	-	-	-	-	-	-	-	-				
BH15A (EPA ID 10)	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
	Samples Collected			2	2	2	2	2	0	0	0	0	2	0	0	0	0	2	0	0	0	0	2	2	2	2	2	0	0	0	0	2	4	1	1	1	1	1	1	1	1	1	1	1	1				
	Min			6.65	6730	11,228	930	1	0	0	0	0	210	0	0	0	0	0	69	0	0	0	0	0	41	1800	1100	9.1	670	0	0.00	0	2.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Max			6.73	10099	12,070	960	1.1	0	0	0	0	250	0	0	0	0	0	78	0	0	0	0	0	50	2000	1000	7.8	3600	0	0.00	0	8.6	1.1	0	0	0	0	0	0	0	0	0	0	0	0	0		
Avg			6.69	6394.5	11,649	3104.95	1.05	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	250	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	73.5	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	43	1,850	1100	9.3	1935	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	4.05	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	
05-Feb-25	22-Jan-25	29-Nov-24	8.7	18797	12,087	11,000	0.9	-	-	-	-	-	400	-	-	-	-	180	-	-	-	-	-	79	2,700	1,100	7.8	5,400	-	-	-	-	3.8	-	-	-	-	-	-	-	-	-	-	-	-	-			
15-May-25	02-May-25	18-Feb-25	6.82	15.4	13.8	9900	3.8	-	-	-	-	-	610	-	-	-	-	170	-	-	-	-	-	81	2,800	1300	11	3,000	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-			
BH15B (EPA ID 11)	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
	Samples Collected			2	2	2	2	2	0	0	0	0	2	0	0	0	0	2	0	0	0	0	2	2	2	2	2	0	0	0	0	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1			
	Min			6.7	15.4	12,087	9900	0.9	0	0	0	0	400	0	0	0	0	0	160	0	0	0	0	79	2700	1100	7.8	3000	0	0.00	0	3.8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Max			6.82	15797	13.8	11000	4.0	0	0	0	0	450	0	0	0	0	0	180	0	0	0	0	81	2800	1300	11	5400	0	0.00	0	8.6	1.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Avg			6.76	7906.2	12,9485	10500	3.35	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	405	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	165	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	80	2750	1100	9.4	4200	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	7.4	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI
05-Feb-25	22-Jan-25	27-Nov-24	8.74	3973	12,956	2500	8.1	-	-	-	-	-	160	-	-	-	-	120	-	-	-	-	-	39	360	200	0.19	1,100	-	-	-	-	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
15-May-25	02-May-25	20-Feb-25	6.6	1050	-	2600	6.8	-	-	-	-	-	130	-	-	-	-	110	-	-	-	-	-	45	340	240	0.09	1,100	-	-	-	-	46	-	-	-	-	-	-	-	-	-	-	-	-	-			
BH15A (EPA ID 12)	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
	Samples Collected			2	2	1	2	2	0	0	0	0	2	0	0	0	0	2	0	0	0	0	2	2	2	2	2	0	0	0	0	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1			
	Min			6.6	1050	16,256	2500	6.8	0	0	0	0	130	0	0	0	0	0	110	0	0	0	0	39	340	200	0.09	1100	0	0.00	0	42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Max			6.74	3973	16,256	2600	8.1	0	0	0	0	160	0	0	0	0	0	120	0	0	0	0	45	360	240	0.19	1100	0	0.00	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Avg			6.67	10515	16,67	2550	7.67	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	140.7	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	110.7	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	40	350	210	0.14	1100	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	31.4	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI
05-Feb-25	22-Jan-25	27-Nov-24	6.54	1807	16,717	1800	2.4	-	-	-	-	-	260	-	-	-	-	210	-	-	-	-	-	61	120	180	0.19	570	-	-	-	-	1.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
15-May-25	02-May-25	18-Feb-25	6.43	2160	17,82	1900	2.4	-	-	-	-	-	310	-	-	-	-	3.2	-	-	-	-	-	7.8	180	170	0.25	670	-	-	-	-	5.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BH15B (EPA ID 13)	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
	Samples Collected			1	2	2	2	2	0	0	0	0	2	0	0	0	0	2	0	0	0	0	2	2	2	2	2	0	0	0	0	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1			
	Min			6.43	1807	16,717	1600	2.4	0	0	0	0	260	0	0	0	0	2.7	0	0	0	0	6.1	120	150	0.19	570	0	0.00	0	1.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Max			6.43	2160	17,82	1900	2.4	0	0	0	0	310	0	0	0	0	3.2	0	0	0	0	7.8	180	170	0.25	670	0	0.00	0	5.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Avg			6.43	1807.5	17,2685	1650	2.4	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	285.3	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	240.3	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	64.5	120	150	0.22	620	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	31.5	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI	RNDV/DI
05-Feb-25	22-Jan-25	27-Nov-24	6.89	2375	9,505	1,100	1.6	-	-	-	-	-	54	-	-	-	-	54	-	-	-	-	-	14	280	960	1.5	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19-Jun-25	11-Jun-25	18-Feb-25	0.48	6.92	2100	9.07	1000	2.4	-	-	-	-	59	-	-	-	-	67	-	-	-	-	-	15	300	960	1.6	75	-	-	-	-	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BH17E (EPA ID 14)	Samples Required by licence			4	-	4	4	4	1	1	1	1	4	1	1	1	1	4	1	1	1	1	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1												